



Passenger Car, SUV and Light Truck
PRODUCT GUIDE | SUMMER 2024

TABLE OF CONTENTS


R&D Centre Europe	3
Summer Tire Range	4
Corporate Social Responsibilities	6
<hr/>	
PCR & SUV	
SportActive 2 EV – Electrify your journey	8
SportActive 2 EV READY – Active control for sporty driving	12
FE2 EV READY – The all-rounder for a relaxed and enjoyable journey	16
FE1 City – Urban mobility with confident handling	20
Savero SUV – Continue driving even when the road ends	22
4Seasons – For every weather condition in all seasons	24
<hr/>	
TRANSPORTER	
MAXMILER PRO – Dependable, long lasting commercial van tire	26
MAXMILER Allseason 2 EV READY – All season tire for light truck commercial operations	28
<hr/>	
PATTERN OVERVIEW	30

GLOBAL R&D CENTRES

LOCATION:

- ▲ R&D Centre in China
- ▲ R&D Centre in Indonesia
- ▲ R&D Centre in Chester County, USA
- ▲ R&D Europe Testing Centre in Mira, UK
- ▲ R&D Centre Europe in Hanover, Germany

APART FROM CONDUCTING OUR OWN RESEARCH AND DEVELOPMENT, WE ALSO COLLABORATE WITH LEADING UNIVERSITIES AND RESEARCH INSTITUTES AROUND THE WORLD.



Summer Tire Range



SportActive 2



FE2



PCR & SUV



FE1 City



Savero SUV



4Seasons

TRANSPORTER



MAXMILER PRO



MAXMILER Allseason 2



EV

SportActive 2 EV

Corporate Social Responsibilities

MISSION & COMMITMENT

Giti Tire endorses the United Nations Sustainable Development Goals (SDGs) and incorporates them into each CSR activity. These goals cover a broad range of social and economic development issues. Included among them are poverty, hunger, health, education, climate change, gender equality, water sanitation, energy, environment, and social justice.



GREEN & EFFICIENT PRODUCTION




UNGC MEMBERSHIP



As part of the United Nations, the UNGC is a highly respected and important global business agreement, that requires a CEO and company commitment to adhering to the Ten Principles of the United Nations, including human rights, labor, environment, and anti-corruption. Giti is proud to join this exclusive and important compact in 2021, and continue to grow with it through an annual Communication on Progress, as well as other commitments.

FURTHER DETAILS ABOUT THE UNITED NATIONS GLOBAL COMPACT CAN BE SEEN ON THEIR WEBSITE HERE



GPSNR MEMBERSHIP



Giti Tire is proud to be a member of GPSNR (Global Platform for Sustainable Natural Rubber), a leading global organization dedicated to maintaining a fair, equitable, and environmentally sound natural rubber value chain. As tires directly relate to the environment, a focus on improving the process of rubber creation, procurement, and supply is very important to reducing societal impact and creating positive offsetting solutions for the industry.

YOU CAN LEARN MORE ABOUT GITI'S ENVIRONMENTAL AND OTHER SUSTAINABLE EFFORTS AT




REDUCE



Thanks to our design approach, our tires are lighter, consume less energy and last longer.

RENEW



We use eco_design materials from renewable resources.



REUSE

Our tires are repairable, regroovable, retreadable.



RECYCLE

We incorporate recycled materials into our new tires.

1 Green Energy

Giti utilizes alternative and clean energy methods, including solar panels to generate green electricity

3 Flue-Gas Desulfurization (FGD)

The desulfurization efficiency rate now exceeds 95%, reducing 190 tons since the previous year

2 Water Recycling

Continued recycling of water usage at Giti's plants has improved local environments

4 Green Certifications

Giti's plants throughout the world have received environmental management certification and passed clean production audits.

SportActive 2 EV

ELECTRIFY YOUR JOURNEY



THE DEDICATED TIRE FOR HIGH POWER ELECTRIC VEHICLES

FEATURES & BENEFITS

- ▲ **MORE RANGE WITH THE BATTERY, LESS RANGE ANXIETY**
New ULRR compound with 15% improved rolling resistance compared to normal UHP tire
- ▲ **IMPROVED COMFORT AND HANDLING**
Flexible casing material for better shock absorption
- ▲ **LOW NOISE DRIVING EXPERIENCE FOR EXTRA COMFORT**
Optimised tire pattern, with 69db and noise class A

LONG LASTING MILEAGE

- The SportActive 2 EV was tested in a long range mileage test, using a Tesla Model 3, against OE tire.
- Compared to the OE tire, the GT Radial lasted over 30% longer. Not only did the test confirm the signature GT Radial mileage performance, it also confirmed the endurance and perfect match between the new GT Radial and the Model 3, an EV known for its harshness on tires.

TOTAL TIRE LIFE BASED ON WEAR



Size: 235/45R18 - Vehicle: Tesla Model 3 - Independent test IFV




PERFORMANCE OF SPORTACTIVE 2 EV

EXTENDED E-RANGE

- The SportActive 2 EV utilized a new compound that delivers a very low rolling resistance.
- Combined with a weight reduction, the SportActive 2 EV delivers more mileage that standard tires, thereby reducing the range-anxiety typical of EV driving.
- The SportActive 2 EV allowed the Kia EV6 to travel longer and consume less energy than many premium UHP.

KWH CONSUMPTION



RANGE



Size: 255/45R20 - Vehicle: KIA EV6 - Independent test AM&S



RANGE 2024


RIM	EU SIZE	LI	🌱	XL	🔒	🌱	📶	📶	EPREL
18	235/45R18	98	Y	XL	B	A	69	A	1655548
19	235/55R19	105	V	XL	A	A	69	A	1655549
20	255/45R20	105	H	XL	A	A	69	A	1655550

SPORTACTIVE 2 EV	CAR MODELS	EV
235/45R18 (Y)	BYD Yuan EV	
	Hyundai Kona EV	
	Kia Soul EV	
	MG 4	
	Tesla Model 3	
	Volvo S60/V60 Recharge	
235/ 55R19 (V)	Audi Q4 e.tron	
	Baic X7	
	BYD Song L	
	Hyundai ioniq 5	
	Hyundai Tucson PHEV	
	Kia EV6	
	Land Rover Evoque PHEV	
	Mercedes EQC, EQE, EQS	
	Skoda Eniaq iV	
	Volkswagen 1D.4, 1D.5, ID.Buzz	
	Volvo XC60 Recharge	
255/ 45R20 (H)	Audi Q4 e.tron	
	Hyundai ioniq S	
	Kia EV6	
	Lynk & Co 08	
	Mercedes EQC, EQE, EQS	
	Skoda Eniaq iV	
	Tesla Model X	
	Volkswagen 1D.4, 1D.5, ID.Buzz	
	Volvo C40, XC60 Recharge	



SportActive 2

ACTIVE CONTROL FOR SPORTY DRIVING



AQUAPLANING SPEED [km/h]


GT RADIAL SPORTACTIVE 2	82,3 m
KUMHO ECSTA PS71	80,7 m
NEXEN N'FERA SPORT (SU2)	79,6 m



DRY HANDLING PERFORMANCE [%]

GT RADIAL SPORTACTIVE 2	100,0 %
KUMHO ECSTA PS71	98,6 %
TOYO PROXES SPORT	95,9 %

Tests carried out by TÜV Süd on the request of Giti Tire in April-May 2021 at the facilities ATP Papenburg (Germany) for dry and wet tests with VW Golf, on tire size 235/35 R 19. GT Radial SportActive 2 compared to the performance of main competitors in the same segment: Toyo Proxes Sport, Nexen N'fera Sport (SU2) and Kumho Ecsta PS71. Annex Report No. 713209213-BM.



Combination of grip and precise control

FEATURES & BENEFITS

- PRECISE STEERING**
Special sidewall contour enhances precision steering
- SAFE DRIVING ON WET ROADS**
Computer optimized groove design for fast water evacuation
- RELIABLE GRIP**
Predictable performance compound

Speed: **V-Y** Inch: **16-22** Series: **35-55**



Precise control meets driving pleasure

▲ **Innovative new tread compound** for extremely short braking distances – Wet label A

▲ **Balanced, stiff shoulders** for precise steering and immediate response

▲ **Strong center section** for high speed stability and dry braking

▲ **Optimized pattern block geometry** & sequence for low noise and smooth riding

▲ **3 Wide grooves** and an additional groove on the outer section for exceptional water drainage (5 grooves for >265mm)

▲ **Micro sipes** provide suction effect for enhanced grip



More information about the new GT RADIAL tire? Please scan QR-Code


SportActive 2

RIM	EU SIZE	LI	⚡	XL	EV READY	⚡	⚡	🔊	🔊	EPREL
16	195/45R16	84	V	XL		D	A	69	A	1066030
16	205/45R16	87	W	XL		D	A	69	A	898358
16	215/45R16	90	V	XL		D	A	69	A	1066032
17	205/40R17	84	W	XL		D	A	69	A	898357
17	205/45R17	88	W	XL		D	A	69	A	1066031
17	205/45R17	88	Y	XL		D	A	69	A	1655519
17	215/40R17	87	W	XL		D	A	69	A	898359
17	215/45R17	91	W	XL		D	A	69	A	1066033
17	215/45R17	91	Y	XL		D	A	69	A	1655520
17	225/45R17	94	Y	XL		D	A	69	A	898361
17	235/45R17	97	Y	XL		C	A	69	A	1066038
17	245/45R17	99	W	XL		C	A	69	A	1066042
18	225/40R18	92	Y	XL		D	A	69	A	898360
18	225/45R18	95	Y	XL		D	A	69	A	898362
18	235/40R18	95	Y	XL		D	A	69	A	1066037
18	235/45R18	98	W	XL		C	A	69	A	898365
18	235/45R18	98	Y	XL		C	A	69	A	1655521
18	235/45R18	98	Y	XL	YES	B	A	69	A	1655548
18	245/35R18	92	Y	XL		D	A	69	A	1655514
18	245/40R18	97	Y	XL		C	A	69	A	1066048
18	245/45R18	100	Y	XL	YES	C	A	69	A	898368
18	255/35R18	94	Y	XL		D	A	69	A	1066045
18	255/45R18	103	W	XL		C	A	69	A	1066050
18	255/55R18	109	Y	XL		C	A	69	A	1066052
18	255/60R18	112	V	XL		B	A	69	A	1655515
19	225/35R19	88	Y	XL		D	A	69	A	1066034
19	225/40R19	93	Y	XL		C	A	69	A	1066035
19	225/45R19	96	Y	XL		C	A	69	A	1066036
19	235/35R19	91	Y	XL		D	A	69	A	898363
19	235/40R19	96	Y	XL		D	A	69	A	898364
19	235/45R19	99	Y	XL		C	A	69	A	1066039
19	235/50R19	103	V	XL		C	A	69	A	1655516
19	235/55R19	105	V	XL	YES	A	A	69	A	1655549
19	235/55R19	105	W	XL		B	A	69	A	898366
19	245/35R19	93	Y	XL		D	A	69	A	898367
19	245/40R19	98	Y	XL		C	A	69	A	1066041
19	245/45R19	102	Y	XL	YES	C	A	69	A	1066043
19	255/35R19	96	Y	XL		C	A	69	A	1066046
19	255/40R19	100	Y	XL		C	A	69	A	1066049
19	255/50R19	107	Y	XL	YES	B	A	69	A	1066051
19	255/55R19	111	Y	XL	YES	B	A	69	A	1066053
19	275/40R19	105	Y	XL		B	A	69	A	1066055
20	245/35R20	95	Y	XL		D	A	69	A	1066040
20	245/45R20	103	Y	XL	YES	C	A	69	A	1066044
20	255/35R20	97	Y	XL		C	A	69	A	1066047
20	255/45R20	105	H	XL	YES	A	A	69	A	1655550
20	255/45R20	105	W	XL		B	A	70	A	898369
20	255/50R20	109	Y	XL		B	A	69	A	1742472
20	265/45R20	104	Y	SL		C	A	69	A	1066054
20	275/40R20	106	Y	XL	YES	B	A	70	A	898370
20	275/45R20	110	Y	XL	YES	B	A	69	A	1066056
21	275/45R21	110	Y	XL		C	A	69	A	1655517
21	295/35R21	107	Y	XL		B	A	69	A	1066057
22	275/40R22	107	Y	XL		C	A	69	A	1655518



FE2

THE ALL-ROUNDER FOR A RELAXED AND ENJOYABLE JOURNEY



BRAKING DISTANCE ON WET ROAD SURFACE

80 – 20 km/h, in meters

GT RADIAL FE2	27,8 m
KUMHO ECSTA HS51	29,1 m
NEXEN N'FERA PRIMUS	30 m



BRAKING DISTANCE ON DRY ROAD

100 – 0 km/h, in meters

GT RADIAL FE2	35,1 m
KUMHO ECSTA HS51	35,8 m
NEXEN N'FERA PRIMUS	36,0 m

Tests carried out by TÜV Süd on the request of Giti Tire in April-May 2021 at the facilities ATP Papenburg (Germany) for dry and wet tests with VW Golf, on tire size 205/50R17. GT Radial FE2 compared to the performance main competitors in the same segment: Nexen N'fera Primus and Kumho Ecsta HS51. Annex Report No. 713209213-BM.



The long lasting experience

FEATURES & BENEFITS

- LONG LASTING MILEAGE**
Specially designed polymers for wear resistance
- QUIET INTERNAL RIDE**
Optimized pitch sequence for reduced pattern noise
- SAFE ON WET ROADS**
Fast water evacuation with high speed water channeling system

Speed: **T-Y** Inch: **14-18** Series: **50-70**



The all-rounder for a relaxed and enjoyable journey

▲ **Innovative new tread compound** for extremely short braking distances – Wet label A

▲ **Advanced tire profile** with optimal pressure distribution. Excellent mileage and even wear

▲ **Improved rolling resistance** for lower emissions and fuel savings

▲ **4 Wide grooves** for exceptional water drainage (3 grooves for sections <195)

▲ **Great driving comfort** and precise handling



More information about the new GT RADIAL tire? Please scan QR-Code

FE2

RIM	EU SIZE	LI	Speed Rating	XL	EV READY	Fuel Efficiency	Wet Grip	Noise Grade	Noise Data	EPREL
14	165/70R14	81	T	SL		D	A	69	B	981259
14	175/65R14	82	T	SL		D	A	69	B	981260
14	185/60R14	82	H	SL		D	A	69	B	981265
15	175/65R15	84	T	SL		D	A	69	B	981261
15	175/65R15	88	H	XL		C	A	70	B	981262
15	185/55R15	82	H	SL		D	A	69	B	981263
15	185/55R15	82	V	SL		D	A	69	B	981264
15	185/60R15	88	H	XL		C	A	69	B	898340
15	185/65R15	88	T	SL		C	A	69	B	898371
15	185/65R15	88	H	SL		C	A	69	B	898356
15	185/65R15	92	T	XL		C	A	70	B	1441083
15	195/50R15	82	V	SL		D	A	69	B	981266
15	195/55R15	85	H	SL		D	A	69	B	981267
15	195/55R15	85	V	SL		D	A	69	B	981268
15	195/60R15	88	H	SL		C	A	69	B	981271
15	195/60R15	88	V	SL		C	A	69	B	981272
15	195/65R15	91	H	SL		C	A	69	B	898378
15	195/65R15	91	V	SL		C	A	69	B	981273
15	195/65R15	95	H	XL		C	A	69	A	898341
16	195/55R16	87	H	SL	YES	C	A	69	B	981269
16	195/55R16	91	V	XL		C	A	70	B	981270
16	195/60R16	89	H	SL		C	A	69	B	1830645
16	205/55R16	91	H	SL	YES	C	A	69	B	898379
16	205/55R16	91	V	SL	YES	C	A	69	B	898343
16	205/55R16	91	W	SL		C	A	69	B	981274
16	205/55R16	94	V	XL		C	A	70	B	1441081
16	205/60R16	92	H	SL		C	A	69	B	981275
16	205/60R16	96	V	XL		B	A	70	B	981276
16	215/55R16	97	W	XL		B	A	70	B	981278
16	215/60R16	99	V	XL		C	A	70	B	981280
16	215/65R16	98	H	SL	YES	C	A	69	B	898346
16	225/55R16	99	W	XL		C	A	70	B	981281
17	205/50R17	93	W	XL		C	A	69	A	898342
17	205/55R17	95	W	XL		C	A	69	A	898344
17	215/50R17	95	W	XL		C	A	70	B	981277
17	215/55R17	94	W	SL	YES	C	A	69	B	898380
17	215/60R17	96	H	SL	YES	C	A	69	B	898345
17	215/65R17	99	V	SL		C	A	69	B	898347
17	225/50R17	98	Y	XL		C	A	69	A	898348
17	225/55R17	101	Y	XL		C	A	69	A	898350
17	225/60R17	99	V	SL		C	A	69	B	981283
17	225/65R17	102	V	SL		C	A	69	B	898351
17	235/55R17	103	Y	XL		B	A	70	B	1830646
17	235/55R17	99	V	SL		C	A	69	B	898353
17	235/65R17	108	V	XL		B	A	69	A	898355
18	215/50R18	92	W	SL		D	A	69	B	1830647
18	215/55R18	99	V	XL	YES	C	A	70	B	981279
18	225/50R18	99	W	XL		C	A	69	A	898349
18	225/55R18	102	W	XL		B	A	70	B	1830648
18	225/55R18	98	V	SL		C	A	69	B	981282
18	225/60R18	100	V	SL		C	A	69	B	981284
18	235/50R18	101	Y	XL		B	A	70	B	1830649
18	235/50R18	97	V	SL		C	A	69	B	898352
18	235/55R18	104	V	XL	YES	B	A	70	B	981285
18	235/60R18	107	W	XL	YES	B	A	69	A	898354

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data

FE1 City

URBAN MOBILITY WITH CONFIDENT HANDLING



FE1 City

RIM	EU SIZE	LI		XL					EPREL
13	145/80R13	79	T	XL	D	B	71	B	898273
13	155/80R13	83	T	XL	D	B	71	B	898274
13	165/80R13	83	T	SL	D	B	69	B	898275
14	155/65R14	79	T	SL	D	B	71	B	1830651
14	165/65R14	83	T	XL	D	B	71	B	898276
14	175/70R14	88	T	XL	D	B	71	B	898279
14	185/70R14	88	H	SL	D	B	69	B	898283
14	185/65R14	86	H	SL	D	B	69	B	898281
14	195/70R14	91	H	SL	D	B	69	B	898284
15	155/60R15	78	T	XL	D	B	71	B	898285
15	165/65R15	85	T	XL	D	B	71	B	898286
15	175/55R15	81	T	XL	D	B	71	B	898287
16	185/55R16	87	V	XL	D	B	71	B	898272

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data


The reliable partner for the urban jungle

FEATURES & BENEFITS

LONG LIFE
Specially designed polymers for wear resistance

ROBUSTNESS IN THE CITY
Flexible casing material for better shock absorption

START-/ STOP PERFORMANCE
Optimized block design for interlocked road contact



Speed: **T-V** Inch: **13-16** Series: **55-80**



Savero SUV


CONTINUE DRIVING EVEN WHEN THE ROAD ENDS



Savero SUV

RIM	EU SIZE	LI		XL	M+S					EPREL
16	215/70R16	100	H	SL	M+S	D	C	70	B	898589
16	215/65R16	98	H	SL	M+S	D	C	70	B	898592
16	215/60R16	95	H	SL	M+S	D	C	70	B	898593
16	225/70R16	103	H	SL	M+S	D	C	70	B	898590
16	235/70R16	106	H	SL	M+S	D	C	70	B	898591
16	235/60R16	100	H	SL	M+S	D	C	70	B	898594
16	245/70R16	111	H	XL	M+S	C	C	72	B	898577
16	265/70R16	112	H	SL	M+S	C	C	72	B	898578
17	215/60R17	96	H	SL	M+S	C	C	70	B	898582
17	215/55R17	94	V	SL	M+S	D	C	70	B	898597
17	225/65R17	102	H	SL	M+S	C	C	70	B	898579
17	225/60R17	99	H	SL	M+S	D	C	70	B	898596
17	235/65R17	108	V	XL	M+S	D	C	70	B	898595
17	235/55R17	99	V	SL	M+S	D	C	70	B	898598
17	245/65R17	111	H	XL	M+S	C	C	72	B	898580
17	255/60R17	106	V	SL	M+S	C	C	72	B	898583
17	265/65R17	112	H	SL	M+S	C	C	72	B	898581
18	215/55R18	99	V	XL	M+S	D	C	70	B	898601
18	225/65R18	103	H	SL	M+S	D	C	70	B	898599
18	225/60R18	100	H	SL	M+S	D	C	70	B	898600
18	235/60R18	107	V	XL	M+S	C	C	70	B	898584
18	235/55R18	100	V	SL	M+S	D	C	70	B	898602
18	265/60R18	110	H	SL	M+S	C	C	72	B	898585

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data



The street tire with light off-road capabilities

FEATURES & BENEFITS

GOOD TRACTION IN LIGHT OFF-ROAD CONDITIONS
S-block tread pattern design for better traction

DURABLE TIRE PERFORMANCE
Reinforced casing technology for better puncture protection

COMFORTABLE DRIVING ON ROAD AND GENTLE TERRAIN
Advanced pattern design with multi-pitch technology

Speed: **H-V** Inch: **16-18** Series: **55-70**



4Seasons

FOR DIFFERENT WEATHER CONDITIONS
ALL YEAR ROUND



4Seasons

RIM	EU SIZE	LI		XL	3PMSF					EPREL
14	155/65R14	75	T	SL	3PMSF	D	B	71	B	1621157
14	165/65R14	79	T	SL	3PMSF	D	B	71	B	1621159
14	165/70R14	85	H	XL	3PMSF	D	B	71	B	898372
14	175/65R14	86	T	XL	3PMSF	C	B	71	B	898317
14	185/60R14	82	H	SL	3PMSF	C	B	71	B	898318
14	185/65R14	86	T	SL	3PMSF	C	B	71	B	898319
15	175/65R15	84	T	SL	3PMSF	C	B	71	B	898320
15	185/55R15	86	H	XL	3PMSF	C	B	71	B	898374
15	185/60R15	88	H	XL	3PMSF	C	B	71	B	898322
15	185/65R15	92	H	XL	3PMSF	C	B	71	B	898373
15	195/50R15	82	H	SL	3PMSF	C	B	72	B	898324
15	195/55R15	85	H	SL	3PMSF	C	B	72	B	898325
15	195/60R15	88	H	SL	3PMSF	C	B	72	B	898326
15	195/65R15	95	V	XL	3PMSF	C	B	72	B	898375
16	195/55R16	91	V	XL	3PMSF	C	B	72	B	898376
16	205/55R16	94	V	XL	3PMSF	C	B	72	B	898329
16	205/60R16	92	H	SL	3PMSF	C	B	72	B	898330
16	215/55R16	97	V	XL	3PMSF	C	B	72	B	898331
16	215/60R16	99	V	XL	3PMSF	C	B	72	B	1621160
16	215/65R16	102	V	XL	3PMSF	C	B	72	B	898336
17	205/45R17	88	V	XL	3PMSF	D	B	72	B	1621161
17	205/50R17	93	W	XL	3PMSF	C	B	72	B	898377
17	215/50R17	95	W	XL	3PMSF	C	B	72	B	1621164
17	215/55R17	98	W	XL	3PMSF	C	B	72	B	1621163
17	215/60R17	96	V	SL	3PMSF	C	B	72	B	898338
17	215/65R17	103	V	XL	3PMSF	B	B	72	B	1621162
17	225/45R17	94	V	XL	3PMSF	C	B	72	B	898333
17	225/50R17	98	V	XL	3PMSF	C	B	72	B	898334
17	225/55R17	101	V	XL	3PMSF	C	B	72	B	898335
17	225/65R17	106	V	XL	3PMSF	B	B	72	B	1621165
17	235/55R17	103	V	XL	3PMSF	C	B	72	B	898337
17	235/65R17	108	V	XL	3PMSF	B	B	72	B	1621166
18	215/55R18	99	V	XL	3PMSF	C	B	72	B	1621167
18	225/40R18	92	Y	XL	3PMSF	D	B	72	B	1621170
18	225/55R18	102	V	XL	3PMSF	B	B	72	B	1621169
18	235/55R18	104	V	XL	3PMSF	C	B	72	B	1621168

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data



Balanced performance

FEATURES & BENEFITS

SAFETY IN CHANGING WEATHER CONDITIONS
Special designed compound which retains the grip characteristics across wide range of temperatures

RELIABLE PERFORMANCE IN WINTER CONDITIONS
Multiple deep sipes ensures firm acceleration and reduced breaking distance

HIGH MILEAGE
All season compound technology

Speed: **T-Y** Inch: **14-18** Series: **40-70**



MAXMILER Pro

THE IDEAL TIRE FOR YOUR COMMERCIAL OPERATIONS



MAXMILER Pro

RIM	EU SIZE	LI		PR					EPREL
12	145R12C	86/84	N	8PR	D	C	71	B	898108
12	155R12C	88/86	R	8PR	D	C	71	B	898080
13	165R13C	94/92	R	8PR	D	C	71	B	898081
13	175R13C	97/95	R	8PR	D	C	71	B	898083
14	175/65R14C	90/88	T	6PR	D	C	71	B	898082
14	185R14C	102/100	R	8PR	D	B	71	B	898401
14	195R14C	106/104	R	8PR	C	B	71	B	898383
14	205/75R14C	109/107	S	8PR	C	B	71	B	898398
14	205R14C	109/107	P	8PR	C	B	71	B	898404
15	195/70R15C	104/102	R	8PR	C	B	71	B	898381
15	205/70R15C	106/104	R	8PR	C	B	71	B	898385
15	215/70R15C	109/107	S	8PR	C	B	71	B	898389
15	215/65R15C	104/102	T	6PR	D	B	71	B	898399
15	225/70R15C	112/110	R	8PR	C	B	71	B	898393
16	185/75R16C	104/102	T	8PR	C	B	71	B	898400
16	195/75R16C	107/105	R	8PR	C	B	71	B	898382
16	195/65R16C	104/102	T	8PR	C	B	71	B	898403
16	195/60R16C	99/97	H	6PR	D	B	71	B	898402
16	205/75R16C	113/111	R	10PR	C	B	71	B	898386
16	205/65R16C	107/105	T	8PR	C	B	71	B	898384
16	215/75R16C	116/114	R	10PR	C	B	71	B	898391
16	215/70R16C	108/106	T	6PR	D	B	71	B	898390
16	215/65R16C	109/107	T	8PR	C	B	71	B	898388
16	215/60R16C	103/101	H	6PR	D	B	71	B	898387
16	225/65R16C	112/110	T	8PR	C	B	71	B	898392
16	235/65R16C	121/119	R	10PR	C	B	71	B	898394
17	215/60R17C	109/107	T	8PR	C	B	71	B	898395
17	235/60R17C	117/115	R	10PR	D	B	71	B	898396

LI Load Capacity Speed Rating PR Ply rating Fuel Efficiency Wet Grip Noise Grade Noise Data

The reliable high mileage partner

FEATURES & BENEFITS

HIGH MILEAGE
Optimized tread profile and stress resistant compound

TAILORMADE FOR HEAVY DUTY OPERATIONS
Reinforced sidewall construction for severe service conditions

ECONOMIC EFFICIENCY
Durable compounds ensures longer tire operations



Speed: **R-H** Inch: **12-17** Series: **60-75**





MAXMILER AllSeason 2

THE ALL-SEASON VAN TIRE WITH LONG LASTING MILEAGE



MAXMILER AllSeason 2

RIM	EU SIZE	LI		PR	3PMSF					EPREL
15	195/70R15C	104/102	T	8PR	3PMSF	D	A	71	B	1556319
15	215/70R15C	109/107	S	8PR	3PMSF	C	A	71	B	1556321
15	215/65R15C	104/102	T	6PR	3PMSF	D	A	71	B	1556320
15	225/70R15C	112/110	S	8PR	3PMSF	C	A	71	B	1556322
16	195/75R16C	110/108	R	10PR	3PMSF	D	A	71	B	1556324
16	195/65R16C	104/102(100)	R(T)	8PR	3PMSF	D	A	71	B	1556323
16	205/75R16C	113/111	R	10PR	3PMSF	D	A	71	B	1556326
16	205/65R16C	107/105	T	8PR	3PMSF	D	A	71	B	1556325
16	215/75R16C	116/114	R	10PR	3PMSF	D	A	71	B	1556329
16	215/65R16C	109/107	T	8PR	3PMSF	C	A	71	B	1556328
16	215/60R16C	103/101	T	6PR	3PMSF	D	A	71	B	1556327
16	225/75R16C	121/120	R	10PR	3PMSF	D	A	71	B	1556331
16	225/65R16C	112/110	R	8PR	3PMSF	C	A	71	B	1556330
16	235/65R16C	121/119	R	10PR	3PMSF	D	A	71	B	1556318
17	215/60R17C	109/107(104)	T(H)	8PR	3PMSF	C	A	71	B	1556332
17	225/55R17C	109/107(104)	T(H)	8PR	3PMSF	C	A	71	B	1556333

LI Load Capacity Speed Rating PR Ply rating Fuel Efficiency Wet Grip Noise Grade Noise Data

High mileage throughout the year




FEATURES & BENEFITS




- HIGH MILEAGE**
Wide tread design
- SUITABLE FOR ALL-SEASON USAGE**
Winter certification (3PMSF) and excellent wet label
- HIGH DURABILITY**
Robust tread block design and sidewall protection system

Speed: **R-T** Inch: **15-16** Series: **65-75**



PATTERN OVERVIEW

RIM	SERIES	SIZE	  SUMMER  ALLSEASON 							
			SportActive 2 EV	SportActive 2	FE2	FE1 City	Savero SUV	4Seasons	MAXMILER Pro	MAXMILER Allseason 2
17	225/60R17	106V						106V		
		99H			99H					
		99V				99V			99V	
	225/55R17	101V						101V	101V	
		101Y				101Y				
	225/50R17	98V						98V	98V	
		98Y				98Y				
	225/45R17	94V						94V	94V	
		94Y		94Y						
	215/65R17	99V						99V	99V	
		103V						103V		
	215/60R17	96H			96H	96H			96H	
		96V						96V		
	215/55R17	94V			94V					
		94W				94W				
		98V								98V
		98W					98W			
	215/50R17	95V								95V
		95W				95W		95W		
	215/45R17	91V							91V	
		91W		91W						
		91Y		91Y						
	215/40R17	87W		87W						
		95H								95H
205/55R17	95W				95W					
	93V							93V		
205/50R17	93W				93W		93W			
	88V						88V	88V		
	88W		88W							
	88Y		88Y							
205/40R17	84V							84V		
	84W		84W							
16	265/70R16	112H			112H					
	245/70R16	111H			111H					
	235/70R16	106H			106H					
	235/60R16	100H			100H					
	225/70R16	103H			103H					
	225/55R16	99H								99H
		99W				99W				
215/70R16	100T								100T	

RIM	SERIES	SIZE	  SUMMER  ALLSEASON 							
			SportActive 2 EV	SportActive 2	FE2	FE1 City	Savero SUV	4Seasons	MAXMILER Pro	MAXMILER Allseason 2
16	215/70R16	100H			100H					100H
		98H			98H	98H				98H
	215/65R16	102V						102V		
		95H			95H					
	215/60R16	99H								99H
		99V				99V		99V		
		93H								93H
	215/55R16	97H								97H
		97V						97V		
		97W				97W				
	215/45R16	90V		90V						
		92H				92H		92H		92H
	205/60R16	96H								96H
		96V				96V				
		91T								91T
	205/55R16	91H				91H				91H
		91V				91V				
		91W				91W				
		94V				94V		94V		
	205/45R16	87W		87W						
	195/60R16	89H				89H				89H
		87H				87H				
	195/55R16	91H								91H
		91V				91V		91V		
195/45R16	84V		84V							
185/55R16	87V					87V				
15	205/65R15	94T								94T
		91T								91T
	195/65R15	91H				91H				91H
		91V				91V				
		95T								95T
		95H				95H				
		95V						95V		
	195/60R15	88T								88T
		88H				88H		88H		
		88V				88V				
195/55R15	85H				85H		85H		85H	
	85V				85V					
195/50R15	82H						82H		82H	
	82V				82V					

PATTERN OVERVIEW

RIM	SERIES	SIZE	SUMMER					ALLSEASON		
			SportActive 2 EV	SportActive 2	FE2	FE1 City	Savero SUV	4Seasons	MAXMILER Pro	MAXMILER Allseason 2
15	185/65R15	88T				88T				88T
		88H				88H				
		92T				92T				
		92H					92H			
	185/60R15	84T								84T
		88T								88T
		88H				88H		88H		
	185/55R15	82T								82T
		82H				82H				
		82V				82V				
		86H						86H		
	175/65R15	84T				84T		84T		84T
		88H				88H				
	175/55R15	81T					81T			
165/65R15	85T					85T				
155/60R15	78T					78T				
14	195/70R14	91H					91H			
	185/70R14	88T								88T
		88H					88H			
	185/65R14	86T						86T		86T
		86H					86H			
	185/60R14	82T								82T
		82H				82H		82H		
	175/70R14	84T								84T
		88T					88T			
	175/65R14	82T				82T				82T
		86T						86T		86T
	165/70R14	81T				81T				81T
		85H						85H		
	165/65R14	79T						79T		79T
83T						83T				
155/65R14	75T						75T		75T	
	79T					79T				
13	175/70R13	82T								82T
	165/80R13	83T					83T			
	165/70R13	79T								79T
		79T								79T
	155/80R13	83T					83T			
		75T								75T
145/80R13	79T					79T				

MORE INFO
ON CURRENT PRODUCT RANGE
ON OUR WEBSITE



www.gtradiat.eu



Giti Tire Deutschland GmbH
Hollerithallee 18a
30419 Hannover
Telefon: +49 (0) 511-5153 56-0
Fax: +49 (0) 511-5153 56-10
E-Mail: info@eu.giti.com



DISCLAIMER

The information contained in this catalogue is for general information purposes only. Every effort has been made to ensure the product information provided is accurate and up to date at time of printing. We reserve the right to change ranges, descriptions, modify, or substitute products without notice. Giti cannot be held liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this catalogue.

www.gtrradial.eu