



TABLE OF CONTENTS

R&D Centre Europe	3
SUMMER Tyre RANGE	4
Corporate Social Responsibilities	6
PCR & SUV	
SPORTACTIVE 2 & SUV – The new UHP tyre for sport cars and powerful SUV.	8
FE2 & SUV– New High Performance tyre for passenger cars and compact SUV	12
FE1 CITY – Inner-city mobility and convincing handling properties	16
CHAMPIRO FE1 – All-round premium comfort	18
SPORTACTIVE – Ultra-high performance tyre	20
SPORTACTIVE SUV – Ultra-high performance tyre	22
SAVERO SUV – For modern SUV and CUV type cars	24
4SEASONS & SUV– For every weather condition in all seasons	26
<hr/>	
TRANSPORTER	
MAXMILER PRO – Premium mileage	28
KARGOMAX – Trailers & caravans	30
MAXMILER ALLSEASON – All season tyre for light truck commercial operations	32
<hr/>	
PATTERN OVERVIEW	34

Reasons for GT Radial:

- ▶ **ENGINEERED IN GERMANY**
- ▶ ESTABLISHED **WORLDWIDE**
FOR OVER 25 YEARS
- ▶ TESTED BY **TÜV SÜD**
- ▶ EXCELLENT **VALUE OF MONEY**




GLOBAL R&D CENTRES

Location:

- ▶ R&D Centre in China
- ▶ R&D Centre in Indonesia
- ▶ R&D Centre in Akron, USA
- ▶ R&D Europe Testing Centre in Mira, UK
- ▶ R&D Centre Europe in Hanover, Germany

Apart from conducting our own research and development, we also collaborate with leading universities and research institutes around the world.



SUMMER TYRE RANGE



SPORTACTIVE 2 & SUV



FE2 & SUV

PCR



SPORTACTIVE



CHAMPIRO FE1



FE1 CITY



4SEASONS

SUV



SPORTACTIVE SUV



SAVERO SUV



4SEASONS SUV

TRANSPORTER



MAXMILER PRO



KARGOMAX



MAXMILER ALLSEASON

CORPORATE SOCIAL RESPONSIBILITIES

MISSION & COMMITMENT

Giti Tire endorses the United Nations Sustainable Development Goals (SDGs) and incorporates them into each CSR activity. These goals cover a broad range of social and economic development issues. Included among them are poverty, hunger, health, education, climate change, gender equality, water sanitation, energy, environment, and social justice.



GREEN & EFFICIENT PRODUCTION



UNGC MEMBERSHIP



As part of the United Nations, the UNGC is a highly respected and important global business agreement, that requires a CEO and company commitment to adhering to the Ten Principles of the United Nations, including human rights, labor, environment, and anti-corruption. Giti is proud to join this exclusive and important compact in 2021, and continue to grow with it through an annual Communication on Progress, as well as other commitments.

Further details about the United Nations Global Compact can be seen on their website here



GPSNR MEMBERSHIP

Giti Tire is proud to be a member of GPSNR (Global Platform for Sustainable Natural Rubber), a leading global organization dedicated to maintaining a fair, equitable, and environmentally sound natural rubber value chain. As tires directly relate to the environment, a focus on improving the process of rubber creation, procurement, and supply is very important to reducing societal impact and creating positive offsetting solutions for the industry.




You can learn more about Giti's environmental and other sustainable efforts at




REDUCE

Thanks to our design approach, our tires are lighter, consume less energy and last longer.



RENEW

We use eco_design materials from renewable resources.



REUSE

Our tires are repairable, regroovable, retreadable.



RECYCLE

We incorporate recycled materials into our new tires.

1

Green Energy

Giti utilizes alternative and clean energy methods, including solar panels to generate green electricity

2

Water Recycling

Continued recycling of water usage at Giti's plants has improved local environments

3

Flue-Gas Desulfurization (FGD)

The desulfurization efficiency rate now exceeds 95%, reducing 190 tons since the previous year

4

Green Certifications

Giti's plants throughout the world have received environmental management certification and passed clean production audits.

NEW


SPORTACTIVE 2 & SUV

THE NEW UHP TYRE FOR SPORT CARS AND POWERFUL SUV



FEATURES & BENEFITS

- ▶ Balanced, stiff shoulders for **precise steering and immediate response**
- ▶ Innovative new tread compound for extremely **short braking distances** – Wet label A
- ▶ Strong center section for **high speed stability** and dry braking
- ▶ **Micro sipes** provide suction effect for **enhanced grip**



- ▶ 3 Wide grooves and an additional groove on the outer section for **exceptional water drainage** (5 grooves for >265mm)

- ▶ **Optimized pattern block geometry & sequence** for low noise and smooth riding



“The **SPORTACTIVE 2** is a **pure UHP tyre designed** to satisfy the needs of the most demanding drivers. Exceptional grip, short braking distances in wet conditions, are among the key features of this product.”



AQUAPLANING SPEED
[km/h]

GT RADIAL SPORTACTIVE 2	82,3 m
KUMHO ECSTA PS71	80,7 m
NEXEN N'FERA SPORT (SU2)	79,6 m



DRY HANDLING PERFORMANCE
[%]

GT RADIAL SPORTACTIVE 2	100,0 %
KUMHO ECSTA PS71	98,6 %
TOYO PROXES SPORT	95,9 %

Tests carried out by TÜV Süd on the request of Giti Tire in April-May 2021 at the facilities ATP Papenburg (Germany) for dry and wet tests with VW Golf, on tyre size 235/35 R 19. GT Radial SportActive 2 compared to the performance of main competitors in the same segment: Toyo Proxes Sport, Nexen N'fera Sport (SU2) and Kumho Ecsta PS71. Annex Report No. 713209213-BM.



16–21 Inch



Speed Rating: V–Y



35–55 Series



More information about the new GT RADIAL tyre? Please scan QR-Code:



SPORTACTIVE 2

RIM	EU SIZE	LI		XL					EPREL
16	195/45R16	84	V	XL	D	A	A	69	1066030
16	205/45R16	87	W	XL	D	A	A	69	898358
16	215/45R16	90	V	XL	D	A	A	69	1066032
17	205/45R17	88	W	XL	D	A	A	69	1066031
17	215/45R17	91	W	XL	D	A	A	69	1066033
17	215/40R17	87	W	XL	D	A	A	69	898359
17	225/45R17	94	Y	XL	D	A	A	69	898361
17	235/45R17	97	Y	XL	C	A	A	69	1066038
17	245/45R17	99	W	XL	C	A	A	69	1066042
18	225/45R18	95	Y	XL	D	A	A	69	898362
18	225/40R18	92	Y	XL	D	A	A	69	898360
18	235/45R18	98	W	XL	C	A	A	69	898365
18	235/40R18	95	Y	XL	D	A	A	69	1066037
18	245/45R18	100	Y	XL	C	A	A	69	898368
18	245/40R18	97	Y	XL	C	A	A	69	1066048
18	255/45R18	103	W	XL	C	A	A	69	1066050
18	255/35R18	94	Y	XL	D	A	A	69	1066045
19	225/45R19	96	Y	XL	C	A	A	69	1066036
19	225/40R19	93	Y	XL	C	A	A	69	1066035
19	225/35R19	88	Y	XL	D	A	A	69	1066034
19	235/45R19	99	Y	XL	C	A	A	69	1066039
19	235/40R19	96	Y	XL	D	A	A	69	898364
19	235/35R19	91	Y	XL	D	A	A	69	898363
19	245/45R19	102	Y	XL	C	A	A	69	1066043
19	245/40R19	98	Y	XL	C	A	A	69	1066041
19	245/35R19	93	Y	XL	D	A	A	69	898367
19	255/40R19	100	Y	XL	C	A	A	69	1066049
19	255/35R19	96	Y	XL	C	A	A	69	1066046
19	275/40R19	105	Y	XL	B	A	A	69	1066055
20	245/45R20	103	Y	XL	C	A	A	69	1066044
20	245/35R20	95	Y	XL	D	A	A	69	1066040
20	255/35R20	97	Y	XL	C	A	A	69	1066047

SPORTACTIVE 2 SUV

RIM	EU SIZE	LI		XL					EPREL
18	255/55R18	109	Y	XL	C	A	A	69	1066052
19	255/55R19	111	Y	XL	B	A	A	69	1066053
19	255/50R19	107	Y	XL	B	A	A	69	1066051
19	235/55R19	105	W	XL	B	A	A	69	898366
20	255/45R20	105	W	XL	B	A	A	70	898369
20	265/45R20	104	Y	-	C	A	A	69	1066054
20	275/45R20	110	Y	XL	B	A	A	69	1066056
20	275/40R20	106	Y	XL	B	A	A	70	898370
21	295/35R21	107	Y	XL	B	A	A	69	1066057

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data

NEW

FE2 & SUV

NEW HIGH PERFORMANCE TYRE FOR PASSENGER CARS AND COMPACT SUV

FEATURES & BENEFITS


▶ Innovative **new tread compound** for extremely short braking distances – Wet label A

▶ Great driving **comfort** and **precise handling**

▶ Improved rolling resistance for **lower emissions** and fuel savings

▶ 4 Wide grooves for **exceptional water drainage** (3 grooves for sections <195)

▶ Advance tyre profile with **optimal pressure distribution**. Excellent mileage and even wear



“The GT Radial **FE2** is a genuine HP tyre **designed with the needs of European car drivers** at heart. It is a perfect match to medium size and executive European saloons. Safety on wet, long lasting mileage, quite smooth drive, superb fuel efficiency and great comfort are among the best features of this product.”



Tests carried out by TÜV Süd on the request of Giti Tire in April-May 2021 at the facilities ATP Papenburg (Germany) for dry and wet tests with VW Golf, on tyre size 205/50R17. GT Radial FE2 compared to the performance main competitors in the same segment: Nexen N'fera Primus and Kumho Ecsta HS51. Annex Report No. 713209213-BM.






-  14–18 Inch
-  Speed Rating: T–Y
-  50–70 Series








More information about the new GT RADIAL tyre? Please scan QR-Code:



FE2

RIM	EU SIZE	LI		XL					EPREL
14	165/70R14	81	T	-	D	A	B	69	981259
14	175/65R14	82	T	-	D	A	B	69	981260
14	185/60R14	82	H	-	D	A	B	69	981265
15	175/65R15	84	T	-	D	A	B	69	981261
15	175/65R15	88	H	XL	C	A	B	70	981262
15	185/65R15	88	T	-	C	A	B	69	898371
15	185/65R15	88	H	-	C	A	B	69	898356
15	185/60R15	88	H	XL	C	A	B	69	898340
15	185/55R15	82	H	-	D	A	B	69	981263
15	185/55R15	82	V	-	D	A	B	69	981264
15	195/65R15	91	H	-	C	A	B	69	898378
15	195/65R15	91	V	-	C	A	B	69	981273
15	195/65R15	95	H	XL	C	A	A	69	898341
15	195/60R15	88	H	-	C	A	B	69	981271
15	195/60R15	88	V	-	C	A	B	69	981272
15	195/55R15	85	H	-	D	A	B	69	981267
15	195/55R15	85	V	-	D	A	B	69	981268
15	195/50R15	82	V	-	D	A	B	69	981266
16	195/55R16	87	H	-	C	A	B	69	981269
16	195/55R16	91	V	XL	C	A	B	70	981270
16	205/60R16	92	H	-	C	A	B	69	981275
16	205/60R16	96	V	XL	B	A	B	70	981276
16	205/55R16	91	H	-	C	A	B	69	898379
16	205/55R16	91	V	-	C	A	B	69	898343
16	205/55R16	91	W	-	C	A	B	69	981274
16	215/60R16	99	V	XL	C	A	B	70	981280
16	215/55R16	97	W	XL	B	A	B	70	981278
16	225/55R16	99	W	XL	C	A	B	70	981281
17	205/55R17	95	W	XL	C	A	A	69	898344
17	205/50R17	93	W	XL	C	A	A	69	898342
17	215/50R17	95	W	XL	C	A	B	70	981277
17	225/55R17	101	Y	XL	C	A	A	69	898350
17	225/50R17	98	Y	XL	C	A	A	69	898348

FE2 SUV

RIM	EU SIZE	LI		XL					EPREL
16	215/65R16	98	H	-	C	A	B	69	898346
17	215/65R17	99	V	-	C	A	B	69	898347
17	215/60R17	96	H	-	C	A	B	69	898345
17	215/55R17	94	W	-	C	A	B	69	898380
17	225/65R17	102	V	-	C	A	B	69	898351
17	225/60R17	99	V	-	C	A	B	69	981283
17	235/65R17	108	V	XL	B	A	A	69	898355
17	235/55R17	99	V	-	C	A	B	69	898353
18	215/55R18	99	V	XL	C	A	B	70	981279
18	225/60R18	100	V	-	C	A	B	69	981284
18	225/55R18	98	V	-	C	A	B	69	981282
18	225/50R18	99	W	XL	C	A	A	69	898349
18	235/60R18	107	W	XL	B	A	A	69	898354
18	235/55R18	104	V	XL	B	A	B	70	981285
18	235/50R18	97	V	-	C	A	B	69	898352

LI Load Capacity  Speed Rating **XL** Extraload  Fuel Efficiency  Wet Grip  Noise Grade  Noise Data

FE1 CITY

INNER-CITY MOBILITY AND CONVINCING HANDLING PROPERTIES



FE1 CITY

RIM	EU SIZE	LI		XL					EPREL
13	145/80R13	79	T	XL	D	B	B	71	898273
13	155/80R13	83	T	XL	D	B	B	71	898274
13	165/80R13	83	T	-	D	B	B	69	898275
14	155/65R14	79	T	XL	D	B	B	71	898282
14	165/70R14	81	T	-	D	B	B	69	898277
14	165/65R14	83	T	XL	D	B	B	71	898276
14	175/70R14	88	T	XL	D	B	B	71	898279
14	175/65R14	82	T	-	D	B	B	69	898278
14	185/70R14	88	H	-	D	B	B	69	898283
14	185/65R14	86	H	-	D	B	B	69	898281
14	185/60R14	82	H	-	D	B	B	69	898280
14	195/70R14	91	H	-	D	B	B	69	898284
15	155/60R15	78	T	XL	D	B	B	71	898285
15	165/65R15	85	T	XL	D	B	B	71	898286
15	175/55R15	81	T	XL	D	B	B	71	898287
16	185/55R16	87	V	XL	D	B	B	71	898272

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data

“Urban summer tyre with outstanding performance and **excellent driving characteristics**, especially for city cars”

FEATURES & BENEFITS

A tread compound adapted to urban operations


▶ Excellent **mileage** and **reliable grip in wet conditions**

Optimized carcass construction

▶ **Weight reduction** and **optimized pressure distribution** for a long service life

New profile design

▶ **Shorter braking distance** in wet and dry conditions



13–16 Inch

Speed Rating: T–V

55–80 Series



CHAMPIRO FE1

ALL-ROUND PREMIUM COMFORT

CHAMPIRO FE1

RIM	EU SIZE	LI		XL					EPREL
15	175/65R15	84	T	-	C	B	B	70	898132
15	185/65R15	92	T	XL	C	B	B	71	898271
15	185/55R15	82	H	-	C	B	B	70	898127
15	185/55R15	82	V	-	C	B	B	70	898025
15	195/65R15	91	V	-	C	B	B	70	898014
15	195/60R15	88	H	-	C	B	B	70	898012
15	195/60R15	88	V	-	C	B	B	70	898026
15	195/55R15	85	H	-	C	B	B	70	898126
15	195/55R15	85	V	-	C	B	B	70	898010
15	195/50R15	82	H	-	C	B	B	70	898128
15	195/50R15	82	V	-	C	B	B	70	898009
15	205/65R15	94	V	-	C	B	B	70	898019
15	205/60R15	91	V	-	C	B	B	70	898017
16	195/55R16	87	H	-	C	B	B	70	898124
16	195/55R16	87	V	-	C	B	B	70	898129
16	195/55R16	91	V	XL	B	B	B	71	898011
16	195/50R16	88	V	XL	C	B	B	71	898028
16	205/60R16	96	H	XL	C	B	B	71	898018
16	205/60R16	96	V	XL	C	B	B	71	898027
16	205/55R16	94	V	XL	B	B	B	71	898016
16	205/55ZR16	94	W	XL	C	B	B	71	898029
16	215/60R16	99	V	XL	B	B	B	72	898021
16	215/55R16	93	V	-	C	B	B	71	898121
16	215/55ZR16	97	W	XL	C	B	B	72	898020
16	225/55ZR16	99	W	XL	C	B	B	72	898023
17	215/55ZR17	94	W	-	C	B	B	70	898032
17	215/55ZR17	98	W	XL	C	B	B	71	898123
17	215/50ZR17	95	W	XL	C	B	B	71	898031
17	225/50R17	98	V	XL	C	B	B	72	898130

“The Champiro FE1 combines **quiet, comfortable driving** behavior and ideal handling with outstanding **performance and fuel economy.**”

FEATURES & BENEFITS

Wide circumferential profile grooves
 ► Excellent **driving performance** in **wet conditions**

Innovative profile design
 ► **Smooth and comfortable** driving characteristics

Offset arrangement of profile blocks
 ► **Reduced noise** during driving

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data



- 15-17 Inch
- Speed Rating: T-W
- 50-65 Series



SPORTACTIVE


ULTRA-HIGH PERFORMANCE TYRE



SPORTACTIVE

RIM	EU SIZE	LI		XL					EPREL
16	195/45R16	84	V	XL	C	B	B	72	898063
16	215/45R16	90	V	XL	C	B	B	72	898207
17	205/45R17	88	V	XL	C	B	B	72	898210
17	205/45R17	88	W	XL	C	B	B	72	898065
17	215/50R17	95	Y	XL	C	B	B	72	898208
17	215/45R17	91	W	XL	C	B	B	72	898066
17	225/50R17	98	W	XL	C	B	B	72	898047
17	235/45R17	97	W	XL	C	B	B	72	898038
17	235/45R17	97	Y	XL	C	B	B	72	898209
17	245/45R17	99	W	XL	C	B	B	72	898040
17	245/40R17	91	Y	-	C	B	B	71	898074
17	255/40R17	98	Y	XL	C	B	B	72	898103
18	225/40R18	92	Y	XL	C	B	B	72	898037
18	235/40R18	95	W	XL	C	B	B	72	898067
18	235/40R18	95	Y	XL	C	B	B	72	898107
18	245/40R18	97	Y	XL	C	B	B	72	898075
18	255/45R18	103	W	XL	B	B	B	72	898078
18	255/35R18	94	Y	XL	C	B	B	72	898076
18	265/35R18	97	Y	XL	C	B	B	72	898079
19	225/45R19	96	W	XL	C	B	B	72	898071
19	225/40R19	93	Y	XL	C	B	B	72	898070
19	225/35R19	88	Y	XL	C	B	B	72	898102
19	255/40R19	100	Y	XL	C	B	B	72	898104
19	255/35R19	96	Y	XL	C	B	B	72	898077

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data



“The Sportactive has been specially developed **for high-performance premium vehicles** and offers outstanding traction and instantly responds to steering inputs. It provides **maximum control** in wet and dry conditions.”

FEATURES & BENEFITS

New, innovative profile

- ▶ Very good handling and outstanding high-speed grip

Special design with wide profile grooves and slats

- ▶ Reduced risk of aquaplaning as well as outstanding braking characteristics in wet and dry conditions

Increased block stiffness

- ▶ Ideal handling and cornering characteristics

- 16–19 Inch
- Speed Rating: V–Y
- 35–50 Series



SPORTACTIVE SUV

ULTRA-HIGH PERFORMANCE SUV TYRE



SPORTACTIVE SUV

RIM	EU SIZE	LI		XL					EPREL
18	225/55R18	98	V	-	C	B	B	72	898110
18	255/55R18	109	W	XL	B	B	B	72	898105
19	255/55R19	111	V	XL	B	B	B	72	898115
19	255/50R19	107	W	XL	B	B	B	72	898114

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data

“GT Radial’s premium SUV tyre provides **shorter braking distances** in wet and dry conditions, improved fuel **economy and lower rolling resistance**, combined with improved grip and stability at high speed.”

FEATURES & BENEFITS

Latest tread compound

▶ Shorter **braking distance** in wet and dry conditions

Wide tread grooves

▶ Reduced **risk of aquaplaning** and **strong grip** in wet conditions

Special block design

▶ Increased **block stiffness** for **optimum cornering** and **direct steering response**



18-19 Inch

Speed Rating: V-W

50-55 Series



SAVERO SUV


FOR MODERN SUV AND CUV TYPE CARS



SAVERO SUV

RIM	EU SIZE	LI		XL					EPREL
16	215/70R16	100	H	-	D	C	70	B	898589
16	215/65R16	98	H	-	D	C	70	B	898592
16	215/60R16	95	H	-	D	C	70	B	898593
16	225/70R16	103	H	-	D	C	70	B	898590
16	235/70R16	106	H	-	D	C	70	B	898591
16	235/60R16	100	H	-	D	C	70	B	898594
16	245/70R16	111	H	XL	C	C	72	B	898577
16	265/70R16	112	H	-	C	C	72	B	898578
17	215/60R17	96	H	-	C	C	70	B	898582
17	215/55R17	94	V	-	D	C	70	B	898597
17	225/65R17	102	H	-	C	C	70	B	898579
17	225/60R17	99	H	-	D	C	70	B	898596
17	235/65R17	108	V	XL	D	C	70	B	898595
17	235/55R17	99	V	-	D	C	70	B	898598
17	245/65R17	111	H	XL	C	C	72	B	898580
17	255/60R17	106	V	-	C	C	72	B	898583
17	265/65R17	112	H	-	C	C	72	B	898581
18	215/55R18	99	V	XL	D	C	70	B	898601
18	225/65R18	103	H	-	D	C	70	B	898599
18	225/60R18	100	H	-	D	C	70	B	898600
18	235/60R18	107	V	XL	C	C	70	B	898584
18	235/55R18	100	V	-	D	C	70	B	898602
18	265/60R18	110	H	-	C	C	72	B	898585

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data



“Savero SUV is a **high performance summer tyre** that combines outstanding **driving comfort** with **balanced performance** in wet and dry conditions.”

FEATURES & BENEFITS

Solid shoulder blocks

► High **cornering stability** and traction as well as excellent **braking and steering characteristics**

Optimized slat arrangement

► **Reduced rolling noise** due to small profile blocks with transverse blades

Wide circumferential profile grooves

► Excellent water displacement and **reduced risk of aquaplaning**



- 16–18 Inch
- Speed Rating: H–V
- 55–70 Series

4SEASONS & SUV

FOR EVERY WEATHER CONDITION IN ALL SEASONS



4SEASONS

RIM	EU SIZE	LI		XL					EPREL
14	155/65R14	75	T	-	D	B	71	B	981236
14	165/70R14	85	H	XL	D	B	71	B	898372
14	165/65R14	79	T	-	D	B	71	B	981237
14	175/65R14	86	T	XL	C	B	71	B	898317
14	185/65R14	86	T	-	C	B	71	B	898319
14	185/60R14	82	H	-	C	B	71	B	898318
15	175/65R15	84	T	-	C	B	71	B	898320
15	185/65R15	92	H	XL	C	B	71	B	898373
15	185/60R15	88	H	XL	C	B	71	B	898322
15	185/55R15	86	H	XL	C	B	71	B	898374
15	195/65R15	95	V	XL	C	B	72	B	898375
15	195/60R15	88	H	-	C	B	72	B	898326
15	195/55R15	85	H	-	C	B	72	B	898325
15	195/50R15	82	H	-	C	B	72	B	898324
16	195/55R16	91	V	XL	C	B	72	B	898376
16	205/60R16	92	H	-	C	B	72	B	898330
16	205/55R16	94	V	XL	C	B	72	B	898329
16	215/60R16	99	V	XL	C	B	72	B	981238
16	215/55R16	97	V	XL	C	B	72	B	898331
17	205/50R17	93	W	XL	C	B	72	B	898377
17	205/45R17	88	V	XL	D	B	72	B	981239
17	215/55R17	98	W	XL	C	B	72	B	981241
17	215/50R17	95	W	XL	C	B	72	B	981242
17	225/55R17	101	V	XL	C	B	72	B	898335
17	225/50R17	98	V	XL	C	B	72	B	898334
17	225/45R17	94	V	XL	C	B	72	B	898333
18	225/55R18	102	V	XL	B	B	72	B	981247
18	225/40R18	92	Y	XL	D	B	72	B	981248

“New 4Seasons tyre finetuned for **all year driving**, ensuring **optimal grip** on snow, **safe driving** on cold wet roads, and **consistent performance** on hot dry summer days.”

FEATURES & BENEFITS

Dual ultra-wide grooves

► Ensures **fast water evacuation**, resistance to aquaplaning, and **short braking distances** on wet surfaces

All seasons “full silica” compound

► Ensures consistent grip across **wide range of temperatures**, and a **long lasting mileage**

Multiple deep sipes

► Ensures **excellent grip on snow and ice surfaces**, for firm accelerations and **short stopping distances**

4SEASONS SUV

RIM	EU SIZE	LI		XL					EPREL
16	215/65R16	102	V	XL	C	B	72	B	898336
17	215/65R17	103	V	XL	B	B	72	B	981240
17	215/60R17	96	V	-	C	B	72	B	898338
17	225/65R17	106	V	XL	B	B	72	B	981243
17	235/65R17	108	V	XL	B	B	72	B	981244
17	235/55R17	103	V	XL	C	B	72	B	898337
18	215/55R18	99	V	XL	C	B	72	B	981245
18	235/55R18	104	V	XL	C	B	72	B	981246

LI Load Capacity Speed Rating XL Extraload Fuel Efficiency Wet Grip Noise Grade Noise Data



14–18 Inch

Speed Rating: T–Y

40–70 Series



MAXMILER PRO

DEPENDABLE, LONG LASTING COMMERCIAL VAN TYRE



MAXMILER PRO

RIM	EU SIZE	LI		PR					EPREL
12	145R12C	86/84	N	8PR	D	C	71	B	898108
12	155R12C	88/86	R	8PR	D	C	71	B	898080
13	165R13C	94/92	R	8PR	D	C	71	B	898081
13	175R13C	97/95	R	8PR	D	C	71	B	898083
14	175/65R14C	90/88	T	6PR	D	C	71	B	898082
14	185R14C	102/100	R	8PR	D	B	71	B	898401
14	195R14C	106/104	R	8PR	C	B	71	B	898383
14	205/75R14C	109/107	S	8PR	C	B	71	B	898398
14	205R14C	109/107	P	8PR	C	B	71	B	898404
15	195/70R15C	104/102	R	8PR	C	B	71	B	898381
15	205/70R15C	106/104	R	8PR	C	B	71	B	898385
15	215/70R15C	109/107	S	8PR	C	B	71	B	898389
15	215/65R15C	104/102	T	6PR	D	B	71	B	898399
15	225/70R15C	112/110	R	8PR	C	B	71	B	898393
16	185/75R16C	104/102	T	8PR	C	B	71	B	898400
16	195/75R16C	107/105	R	8PR	C	B	71	B	898382
16	195/65R16C	104/102	T	8PR	C	B	71	B	898403
16	195/60R16C	99/97	H	6PR	D	B	71	B	898402
16	205/75R16C	113/111	R	10PR	C	B	71	B	898386
16	205/65R16C	107/105	T	8PR	C	B	71	B	898384
16	215/75R16C	116/114	R	10PR	C	B	71	B	898391
16	215/70R16C	108/106	T	6PR	D	B	71	B	898390
16	215/65R16C	109/107	T	8PR	C	B	71	B	898388
16	215/60R16C	103/101	H	6PR	D	B	71	B	898387
16	225/75R16C	121/120	R	10PR	C	B	71	B	898397
16	225/65R16C	112/110	T	8PR	C	B	71	B	898392
16	235/65R16C	121/119	R	10PR	C	B	71	B	898394
17	215/60R17C	109/107	T	8PR	C	B	71	B	898395
17	235/60R17C	117/115	R	10PR	D	B	71	B	898396

LI Load Capacity Speed Rating PR Ply rating Fuel Efficiency Wet Grip Noise Grade Noise Data



“The perfect tyre **for transporter commercial operations**, providing **improved durability, reduced wear and tear** even under high loads.”

FEATURES & BENEFITS

Reinforced sidewall construction
 ► **Improved durability and stability** at high loads

Flat tread contour
 ► High contact area for **increased wear volume** and **extended mileage**

New tread compound
 ► **Excellent driving characteristics** in wet conditions, confirmed by **very good label values**

- 12-17 Inch
- Speed Rating: R-H
- 60-75 Series



KARGOMAX

TRAILER & CARAVANS



KARGOMAX ST-4000

RIM	EU SIZE	LI		XL					EPREL
13	145/80R13	79	N	XL	D	C	70	B	898417
13	145/70R13	84	N	XL	D	C	69	B	898425
13	155/70R13	78	N	-	D	C	69	B	898413
13	155R13	84	N	XL	C	C	70	B	898412
13	165/70R13	80	N	-	D	C	69	B	898414
13	185/70R13	93	N	XL	D	C	70	B	898420
14	185/65R14	93	N	XL	D	C	69	B	898421
14	195/70R14	96	N	XL	C	C	72	B	898416
15	195/65R15	95	N	XL	C	C	72	B	898415

KARGOMAX ST-6000

RIM	EU SIZE	LI		PR					EPREL
12	155/70R12C	104/101	N	*	C	C	70	B	898422
12	185/60R12C	104/101	N	*	C	C	70	B	898423
12	195/60R12C	104/102	N	*	C	C	70	B	898409
13	155R13C	91/89	N	*	C	C	70	B	898419
13	165R13C	96/94	N	*	C	C	70	B	898407
13	195/50R13C	104/101	N	*	C	C	72	B	898424
14	185R14C	104/102	N	*	C	C	70	B	898408
14	195/70R14C	104/102	N	*	C	C	70	B	898410
15	195/70R15C	104/102	N	*	C	C	70	B	898411
16	225/75R16C	121/120	N	*	C	C	71	B	898418

LI Load Capacity Speed Rating XL Extraload PR Ply rating Fuel Efficiency Wet Grip Noise Grade Noise Data



“**Specially developed tyre** for heavy-duty trailer and caravan use **for long driving distances.**”

FEATURES & BENEFITS

Robust profile design developed for trailer use

- ▶ Combines **high abrasion resistance** with **low rolling resistance**

Reinforced sidewall construction and rubber compound

- ▶ **Reduces the signs of ageing** due to ozone or UV exposure during extended service life

Specially developed rubber compound (interior liner)

- ▶ This tyre provides **constant air pressure**



12–16 Inch

Speed Rating: N

50–80 Series

MAXMILER ALLSEASON

ALL SEASON TYRE FOR LIGHT TRUCK COMMERCIAL OPERATIONS

MAXMILER ALLSEASON

RIM	EU SIZE	LI		PR					EPREL
15	195/70R15C	104/102	R	8PR	D	C	71	B	898256
15	215/70R15C	109/107	R	8PR	C	C	71	B	898258
15	215/65R15C	104/102	T	6PR	D	C	71	B	898257
15	225/70R15C	112/110	R	8PR	C	C	71	B	898259
16	195/75R16C	107/105	R	8PR	D	C	71	B	898261
16	195/65R16C	104/102	T	8PR	D	C	71	B	898260
16	205/75R16C	113/111	R	10PR	C	C	71	B	898263
16	205/65R16C	107/105	T	8PR	C	C	71	B	898262
16	215/75R16C	116/114	R	10PR	C	C	71	B	898265
16	215/65R16C	109/107	T	8PR	C	C	71	B	898264
16	225/75R16C	121/120	R	10PR	C	C	71	B	898267
16	225/65R16C	112/110	R	8PR	C	C	71	B	898266
16	235/65R16C	115/113	R	8PR	C	B	71	B	898255

LI Load Capacity Speed Rating PR Ply rating Fuel Efficiency Wet Grip Noise Grade Noise Data


“The ideal tyre for LTR and van vehicles in the changing weather conditions, **combining long lasting mileage and safety.**”

FEATURES & BENEFITS

Specially designed LTR compound for all year round usage
 ► Dedicated new **advanced all season compound**

Innovative profile
 ► Good traction in low adherence roads covered with snow and ice

Optimized slats and profile grooves
 ► Excellent aquaplaning resistance and short braking distances on wet roads



- 15-16 Inch
- Speed Rating: R-T
- 65-75 Series



		◀ Summer All Year ▶														
RIM	SERIES	SIZE	SPORTACTIVE 2	SPORTACTIVE	SPORTACTIVE 2 SUV	SPORTACTIVE SUV	FE2	CHAMPIRO FE1	FE2 SUV	SAVERO SUV	FE1 CITY	CHAMPIRO ECO	4SEASONS	4SEASONS SUV		
17	60	215/60R17							96H	96H				96V		
		225/60R17								99H						
		235/60R17														
		255/60R17									106V					
		215/65R17								99V					103V	
	65	225/65R17								102V	102H					
		235/65R17													106V	
		245/65R17								108V	108V				108V	
		265/65R17									111H					
											112H					
16	45	195/45R16	84V	84V												
		205/45R16	87W													
		215/45R16	90V	90V												
	50	195/50R16										88V				
		185/55R16										87V				
	55	195/55R16						87H	87H							
								87V								
		205/55R16							91V	91V					91V	
									91H							
									91V							
									91W							
										94V					94V	
										94W						
		215/55R16								93V						
																97V
									97W	97W						
									99W	99W						
	60	195/60R16							92H					92H		
		205/60R16							96H							
									96V	96V						
215/60R16										95H						
235/60R16								99V	99V				99V			
65	215/65R16								98H	98H			102V			

		◀ Summer All Year ▶													
RIM	SERIES	SIZE	SPORTACTIVE 2	SPORTACTIVE	SPORTACTIVE 2 SUV	SPORTACTIVE SUV	FE2	CHAMPIRO FE1	FE2 SUV	SAVERO SUV	FE1 CITY	CHAMPIRO ECO	4SEASONS	4SEASONS SUV	
16	70	215/70R16												100H	
		225/70R16												103H	
		235/70R16													106H
		245/70R16													111H
		255/70R16													
		265/70R16										112H			
75	225/75R16														
15	50	195/50R15							82V	82V		82H		82H	
		175/55R15										81T			
	55	185/55R15							82H	82H					
									82V	82V					
		195/55R15							85H	85H				86H	85H
	60	155/60R15										78T			
		185/60R15							88H						88H
									88H	88H					88H
		195/60R15							88V	88V					
		205/60R15								91V					
	65	165/65R15										85T			
		175/65R15							84T	84T					84T
									88H						
									88H	88T					
185/65R15											92T				92H
									91H						
		195/65R15							91V	91V					
								95H							
205/65R15										94V			95V		

◀ Summer | All Year ▶



RIM	SERIES	SIZE	SPORTACTIVE 2	SPORTACTIVE	SPORTACTIVE 2 SUV	SPORTACTIVE SUV	FE2	CHAMPIRO FE1	FE2 SUV	SAVERO SUV	FE1 CITY	CHAMPIRO ECO	4SEASONS	4SEASONS SUV	
14	60	185/60R14					82H				82H		82H		
	65	155/65R14									79T		75T		
		165/65R14									79T				
		175/65R14						82T			82T				
		185/65R14									86H		86T		
		185/65R14									86H		86T		
	70	165/70R14						81T			81T			85H	
		175/70R14									88T				
		185/70R14									88H				
		185/70R14									91H				
195/70R14										91H					
13	65	155/65R13										73T			
		165/65R13										77T			
	70	145/70R13										71T			
		155/70R13										75T			
		165/70R13										79T			
		175/70R13										82H			
		175/70R13													
	80	145/80R13									79T				
		155/80R13									83T				
165/80R13										83T					

MORE INFO
ON CURRENT PRODUCT RANGE
 ON OUR WEBSITE



GTRADIAL.EU



Giti Tire Deutschland GmbH

Hollerithallee 18a

30419 Hannover

Telefon: +49 (0) 511-5153 56-0

Fax: +49 (0) 511-5153 56-10

E-Mail: info@gt-radial.de



Disclaimer

The information contained in this catalogue is for general information purposes only. Every effort has been made to ensure the product information provided is accurate and up to date at time of printing. We reserve the right to change ranges, descriptions, modify, or substitute products without notice.

Giti cannot be held liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this catalogue.