

PASSENGER CAR, SUV
AND LIGHT TRUCK

Product guide

Summer

2026



Table of Contents

Product guide Summer 2026




Global R&D Centres

LOCATION:

- ▲ R&D Centre Europe in Hanover, Germany
- ▲ R&D Europe Testing Centre in Mira, UK
- ▲ R&D Centre in Idaida, Spain

APART FROM CONDUCTING OUR OWN RESEARCH AND DEVELOPMENT, WE ALSO COLLABORATE WITH LEADING UNIVERSITIES AND RESEARCH INSTITUTES AROUND THE WORLD.

	Global R&D Centres	3
	Summer Tire Range	4
	Corporate Social Responsibilities	6
PCR & SUV	SportActive 2 EV – Electrify your journey	8
	SportActive 2 evo EV READY – Active control for sporty driving	12
	SportActive RFT – Continue your journey, no matter what	16
	TouringActive EV READY – The ideal blend of comfort, safety and energy efficiency	18
	FE2 evo EV READY – The all-rounder for a relaxed and enjoyable journey	20
	FE1 City –Urban mobility with confident handling	24
	ClimateActive EV READY – Dynamic driving across changing weather conditions, all year round	26
	4Seasons – For every weather condition in all seasons	30
LIGHT TRUCK	MAXMILER Pro2 EV READY – Performance you can count on. Efficiency you can measure	32
	MAXMILER Pro – Dependable, long lasting commercial van tire	34
	MAXMILER Allseason 2 EV READY – All season tire for light truck commercial operations	36
	PATTERN OVERVIEW	38



R&D CENTRE EUROPE

R&D EUROPE TESTING CENTRE

● Offices / Representation Offices

Summer Tire Range

PCR & SUV

Light Truck

PCR & SUV

Light Truck

AllSeason

Electric vehicle



SportActive 2 evo EV READY



FE2 evo EV READY



MAXMILER Pro2 EV READY



TouringActive EV READY



MAXMILER Pro



ClimateActive EV READY



SportActive 2 EV



SportActive RFT



4Seasons



FE1 City



MAXMILER AllSeason2 EV READY

Corporate Social Responsibilities

Green & Efficient production



ECOVADIS PLATINUM MEDAL
- TOP 1% OF COMPANIES
ASSESSED GLOBALLY



Mission & Commitment

Giti Tire endorses the United Nations Sustainable Development Goals (SDGs) and incorporates them into each CSR activity. These goals cover a broad range of social and economic development issues. Included among them are poverty, hunger, health, education, climate change, gender equality, water sanitation, energy, environment, and social justice.



UNGC Membership

As part of the United Nations, the UNGC is a highly respected and important global business agreement, that requires a CEO and company commitment to adhering to the Ten Principles of the United Nations, including human rights, labor, environment, and anti-corruption. Giti is proud to join this exclusive and important compact in 2021, and continue to grow with it through an annual Communication on Progress, as well as other commitments.



FURTHER DETAILS ABOUT THE UNITED NATIONS GLOBAL COMPACT CAN BE SEEN ON THEIR WEBSITE HERE:



GPSNR Membership

Giti Tire is proud to be a member of GPSNR (Global Platform for Sustainable Natural Rubber), a leading global organization dedicated to maintaining a fair, equitable, and environmentally sound natural rubber value chain. As tires directly relate to the environment, a focus on improving the process of rubber creation, procurement, and supply is very important to reducing societal impact and creating positive offsetting solutions for the industry.



YOU CAN LEARN MORE ABOUT GITI'S ENVIRONMENTAL AND OTHER SUSTAINABLE EFFORTS AT:



Reduce
Thanks to our design approach, our tires are lighter, consume less energy and last longer.

Renew
We use eco_design materials from renewable resources.



4R
CIRCULAR ECONOMY



Reuse
Our tires are repairable, regroovable, retreadable.

Recycle
We incorporate recycled materials into our new tires.



Green Energy
Giti utilizes alternative and clean energy methods, including solar panels to generate green electricity



Water Recycling
Continued recycling of water usage at Giti's plants has improved local environments



Flue-Gas Desulfurization (FGD)
The desulfurization efficiency rate now exceeds 95%, reducing 190 tons since the previous year



Green Certifications
Giti's plants throughout the world have received environmental management certification and passed clean production audits.

SportActive 2 EV

Electrify
your journey



The dedicated tire for high power Electric Vehicles

FEATURES & BENEFITS

▲ **MORE RANGE WITH THE BATTERY, LESS RANGE ANXIETY**

New ULRR compound with 15% improved rolling resistance compared to normal UHP tire

▲ **IMPROVED COMFORT AND HANDLING**

Flexible casing material for better shock absorption

▲ **LOW NOISE DRIVING EXPERIENCE FOR EXTRA COMFORT**

Optimised tire pattern, with 69db and noise class A

LONG LASTING MILEAGE

- The SportActive 2 EV was tested in a long range mileage test, using a Tesla Model 3, against OE tire.
- Compared to the OE tire, the GT Radial lasted over 30% longer. Not only did the test confirm the signature GT Radial mileage performance, it also confirmed the endurance and perfect match between the new GT Radial and the Model 3, an EV known for its harshness on tires.

TOTAL TIRE LIFE BASED ON WEAR



Size: 235/45R18 - Vehicle: Tesla Model 3 - Independent test IFV




SportActive 2 EV Performance


EXTENDED E-RANGE

- The SportActive 2 EV utilized a new compound that delivers a very low rolling resistance.
- Combined with a weight reduction, the SportActive 2 EV delivers more mileage than standard tires, thereby reducing the range-anxiety typical of EV driving.
- The SportActive 2 EV allowed the Kia EV6 to travel longer and consume less energy than many premium UHP.

KWH CONSUMPTION



RANGE



Size: 255/45R20 - Vehicle: KIA EV6 - Independent test AM&S



SportActive 2 EV

RIM	EU SIZE	LI	⬇️	XL	EV READY	🔒	🌱	📶	📶	EPREL
18	235/45R18	98	Y	XL	YES	B	A	69	A	2425516
19	215/50R19	93	T	SL	YES	B	B	69	B	2259548
19	235/55R19	105	V	XL	YES	B	A	69	A	2456773
19	255/50R19	107	T	XL	YES	A	A	70	A	2259549
20	215/45R20	95	V	XL	YES	B	B	69	A	2259547
20	235/50R20	104	H	XL	YES	A	A	69	A	2259550
20	255/45R20	105	H	XL	YES	A	A	69	A	1966273



SportActive 2 evo

Active control for sporty driving



SportActive 2 evo

Combination of grip and precise control

FEATURES & BENEFITS

Precise steering
Special sidewall contour enhances precision steering

Safe driving on wet roads
Computer optimized groove design for fast water evacuation

Reliable grip
Predictable performance compound

Speed: **V-Y** Inch: **16-22** Series: **30-60**



RIM	EU SIZE	LI	⚙️	XL	EV READY	PATTERN	⚡	🌧️	🔊	🔊	EPREL
16	195/45R16	109	Y	XL		SportActive 2	D	A	69	A	2456766
16	205/45R16	112	V	XL		SportActive 2	D	A	69	A	2425519
16	215/45R16	97	Y	XL		SportActive 2	D	A	69	A	2456784
17	205/40R17	103	Y	XL		SportActive 2	D	A	69	A	2456764
17	205/45R17	88	Y	XL		SportActive 2	D	A	69	A	2456763
17	215/40R17	99	Y	XL		SportActive 2	D	A	69	A	2456761
17	215/45R17	103	V	XL		SportActive 2	-	-	-	-	2425521
17	215/45R17	96	Y	XL		SportActive 2	D	A	69	A	2425517
17	235/45R17	100	Y	XL		SportActive 2	D	A	69	A	2456781
17	245/45R17	107	Y	XL		SportActive 2	C	A	69	A	
17	225/45R17	94	Y	XL		SportActive 2 evo	C	A	69	A	2485831
18	235/40R18	107	Y	XL		SportActive 2	D	A	69	A	2425522
18	235/45R18	111	Y	XL		SportActive 2	C	A	69	A	1966245
18	245/35R18	96	Y	XL		SportActive 2	D	A	69	A	2407350
18	245/40R18	100	Y	XL		SportActive 2	C	A	69	A	2425513
18	255/35R18	105	Y	XL		SportActive 2	D	A	69	A	2456759
18	255/45R18	100	V	XL	YES	SportActive 2	D	A	69	A	2456756
18	255/55R18	95	Y	XL		SportActive 2	C	A	69	A	1966246
18	255/60R18	99	Y	XL		SportActive 2	B	A	69	A	2482330
18	265/35R18	103	Y	XL		SportActive 2	D	A	70	A	2482329
18	275/40R18	97	Y	XL		SportActive 2	C	A	70	A	2456774
18	225/40R18	92	Y	XL		SportActive 2 evo	D	A	69	A	2485829
18	225/45R18	95	Y	XL		SportActive 2 evo	C	A	69	A	2485830
18	235/40R18	95	Y	XL		SportActive 2 evo	D	A	69	A	2485828
18	245/45R18	100	Y	XL	YES	SportActive 2 evo	C	A	69	A	2485827
19	225/35R19	101	Y	XL		SportActive 2	D	A	69	A	2425515
19	235/45R19	109	Y	XL		SportActive 2	C	A	69	A	1966247
19	235/50R19	104	Y		YES	SportActive 2	C	A	69	A	2487380
19	255/35R19	97	Y	XL		SportActive 2	D	A	69	A	2456777
19	255/40R19	110	Y	XL	YES	SportActive 2	C	A	69	A	1966097
19	255/50R19	110	Y	XL	YES	SportActive 2	B	A	69	A	2487383
19	255/50R19	107	Y	XL	YES	SportActive 2	C	A	69	A	2456770
19	255/55R19	107	Y	XL	YES	SportActive 2	C	A	69	A	2482328
19	275/30R19	96	96	Y		SportActive 2	D	A	69	A	2482327
19	275/35R19	91	100	Y		SportActive 2	D	A	69	A	2487374
19	275/40R19	102	105	Y	YES	SportActive 2	B	A	70	A	2324017
19	225/35R19	88	Y	XL		SportActive 2 evo	D	A	69	A	2485823
19	225/40R19	93	Y	XL		SportActive 2 evo	D	A	69	A	2485824
19	225/45R19	96	Y	XL		SportActive 2 evo	C	A	69	A	2485825
19	235/35R19	91	Y	XL		SportActive 2 evo	D	A	69	A	2485820
19	235/40R19	96	Y	XL	YES	SportActive 2 evo	C	A	69	A	2485821
19	235/55R19	105	W	XL		SportActive 2 evo	C	A	69	A	2485822
19	245/35R19	93	Y	XL		SportActive 2 evo	D	A	69	A	2485817
19	245/40R19	98	Y	XL	YES	SportActive 2 evo	C	A	69	A	2485818


LI Load Capacity ⚙️ Speed Rating PR Ply rating ⚡ Fuel Efficiency 🌧️ Wet Grip 🔊 Noise Grade 🔊 Noise (dB)

Precise control meets driving pleasure

Positively reviewed & trusted performance



SportActive 2 evo Performance



SportActive 2 evo

SportActive 2 evo features

- ▲ **Strong center section** for high speed stability and dry braking
- ▲ **Innovative new tread compound** for extremely short braking distances – Wet label A
- ▲ **Balanced, stiff shoulders** for precise steering and immediate response
- ▲ **Optimized pattern block geometry** & sequence for low noise and smooth riding
- ▲ **3 Wide grooves** and an additional groove on the outer section for exceptional water drainage (5 grooves for >265mm)
- ▲ **Micro sipes** provide suction effect for enhanced grip

RIM	EU SIZE	LI	EV READY	XL	EV READY	PATTERN	EV READY	EV READY	EV READY	EV READY	EV READY	EPREL
19	245/45R19	102	Y	XL	YES	SportActive 2 evo	C	A	69	A	2485819	
19	255/45R19	104	Y	XL	YES	SportActive 2 evo	C	A	70	A	2485816	
20	235/45R20	98	100	V	YES	SportActive 2	C	A	69	A	2407345	
20	245/35R20	93	95	Y		SportActive 2	D	A	69	A	2324016	
20	245/40R20	111	99	Y	YES	SportActive 2	C	A	69	A	2407339	
20	245/45R20	107	103	Y	YES	SportActive 2	D	A	69	A	2456779	
20	255/35R20	100	97	Y		SportActive 2	D	A	69	A	2324018	
20	255/40R20	96	101	Y	YES	SportActive 2	B	A	70	A	1966248	
20	255/50R20	105	109	Y	YES	SportActive 2	B	A	69	A	2425511	
20	265/45R20	100	104	Y		SportActive 2	C	A	69	A	2482326	
20	275/30R20	103	97	Y		SportActive 2	D	A	69	A	2407344	
20	275/45R20	99	110	Y	YES	SportActive 2	C	A	69	A	1966249	
20	245/35R20	95	Y	XL		SportActive 2 evo	D	A	70	B	2485814	
20	245/45R20	103	Y	XL	YES	SportActive 2 evo	C	A	69	A	2485815	
20	255/35R20	97	Y	XL		SportActive 2 evo	C	A	70	A	2485812	
20	255/45R20	105	W	XL		SportActive 2 evo	C	A	70	A	2485813	
21	275/45R21	95	110	Y		SportActive 2	C	A	69	A	2407340	
21	295/35R21	109	107	Y		SportActive 2	B	A	69	A	1966250	
22	275/40R22	105	107	Y		SportActive 2	C	A	69	A	2485883	

MORE INFORMATION ABOUT THE GT RADIAL TIRE? PLEASE SCAN QR-CODE



SportActive RFT




Continue your journey, no matter what








SportActive RFT

Continue driving without pressure


FEATURES & BENEFITS

- 
Reach your destination safely
 The RFT can keep rolling at a speed of 80 km/h for 80 km even after its lost the air
- 
Precise steering
 Special sidewall contour enhances precision steering
- 
Safe driving on wet roads
 Computer optimized groove design for fast water evacuation

RIM	EU SIZE	LI		XL	3PMSF					VARIANT	EPREL
17	205/45R17	88	W	XL	M+S	D	C	72	B	SportActive RFT a	2140200
17	225/45R17	91	W		M+S	C	B	71	B	SportActive RFT	2140203
17	225/50R17	98	W	XL	M+S	C	B	72	B	SportActive RFT	2140201
17	225/55R17	97	W		M+S	C	B	71	B	SportActive RFT	2140202
18	225/40R18	92	W	XL	M+S	D	C	72	B	SportActive RFT a	2140199
18	225/45R18	95	W	XL	M+S	C	B	72	B	SportActive RFT	2140198
18	225/50R18	95	W		M+S	C	B	71	B	SportActive RFT	2140197
18	245/40R18	97	W	XL	M+S	C	B	72	B	SportActive RFT	2140196
18	245/45R18	100	Y	XL	M+S	C	B	72	B	SportActive RFT	2140195
18	245/50R18	100	W		M+S	C	B	71	B	SportActive RFT	2140194
18	255/40R18	95	W		M+S	D	C	72	B	SportActive RFT a	2140193
18	255/55R18	109	W	XL	M+S	B	B	72	B	SportActive RFT	2140192
18	275/40R18	99	Y		M+S	D	C	72	B	SportActive RFT a	2140191
19	235/45R19	95	V		M+S	D	C	71	B	SportActive RFT a	2140190
19	235/55R19	101	V		M+S	C	B	71	B	SportActive RFT	2140184
19	245/40R19	98	Y	XL	M+S	C	B	72	B	SportActive RFT	2140189
19	245/45R19	98	Y		M+S	C	B	71	B	SportActive RFT	2140187
19	255/50R19	107	W	XL	M+S	B	B	72	B	SportActive RFT	2140182
19	275/35R19	96	Y		M+S	C	B	72	B	SportActive RFT	2140186
20	245/40R20	99	Y	XL	M+S	D	C	72	B	SportActive RFT a	2140188
20	255/45R20	101	W		M+S	C	B	72	B	SportActive RFT	2140183
20	275/35R20	102	Y	XL	M+S	D	C	72	B	SportActive RFT a	2140185
20	275/40R20	106	W	XL	M+S	D	B	72	B	SportActive RFT b	2140181
20	315/35R20	110	W	XL	M+S	C	B	74	B	SportActive RFT b	2140180



Run Flat Technology (RFT)



Speed: **V - Y** | Inch: **17-20** | Series: **35-55**

TouringActive

The ideal blend of comfort, safety and energy efficiency



TouringActive

The loyal companion for your SUV travel journeys

FEATURES & BENEFITS

- Optimised pattern design**
 Dedicated new pattern delivering high levels of comfort, low noise levels, reliable safety on dry and wet roads, and consistent high mileage
- Finetuned for electric mobility**
 Compatible for both combustion as well as electric vehicles for a total peace of mind
- Finetuned compound for touring driving**
 The new dedicated high silica compound grants the driver with a high level of safety with high levels of grip and at same time contributes to the driving comfort ensuring a pleasant and enjoyable journey



Speed: **V-Y** Inch: **18-21** Series: **40-55**

RIM	EU SIZE	LI			XL					EPREL
18	245/50R18	100	Y	YES		B	B	68	A	2220089
19	225/55R19	103	V	YES	XL	C	B	69	A	2220088
20	235/45R20	100	V	YES	XL	C	B	69	A	2220092
20	235/55R20	102	W	YES		C	B	68	A	2220093
20	245/50R20	102	V	YES		C	B	68	A	2220090
20	255/55R20	110	Y	YES	XL	C	B	71	B	2552433
20	275/50R20	113	W	YES	XL	B	B	71	B	2220091
21	235/45R21	101	V	YES	XL	C	B	69	A	2220086
21	255/40R21	102	Y	YES	XL	C	B	71	B	2220085
21	255/45R21	106	W	YES	XL	B	B	71	B	2220084
21	265/40R21	105	Y	YES	XL	C	B	71	B	2220083
21	265/45R21	108	W	YES	XL	C	B	71	B	2220094

FE2 evo

The allrounder for a relaxed and enjoyable journey



FE2 evo

The long lasting experience

FEATURES & BENEFITS

- Long lasting mileage**
Specially designed polymers for wear resistance
- Quiet internal ride**
Optimized pitch sequence for reduced pattern noise
- Safe on wet roads**
Fast water evacuation with high speed water channeling system

Speed: **T-Y** Inch: **14-18** Series: **50-70**

RIM	EU SIZE	LI		XL	EV READY	PATTERN					EPREL
14	165/70R14	81	T			FE2	D	A	69	B	#N/A
14	175/65R14	82	T			FE2	D	A	69	B	#N/A
14	185/60R14	82	H			FE2	D	A	69	B	#N/A
15	175/65R15	84	T			FE2	D	A	69	B	#N/A
15	175/65R15	88	H	XL		FE2	C	A	70	B	#N/A
15	185/55R15	82	H			FE2	D	A	69	B	#N/A
15	185/55R15	82	V			FE2	D	A	69	B	#N/A
15	185/60R15	88	H	XL		FE2	C	A	70	B	#N/A
15	185/65R15	88	T		YES	FE2 evo	C	A	69	B	2485909
15	185/65R15	88	H		YES	FE2 evo	C	A	69	B	2485878
15	185/65R15	92	T	XL	YES	FE2 evo	C	A	69	B	2485910
15	195/65R15	91	H			FE2 evo	C	A	69	B	2485877
15	195/65R15	91	V			FE2 evo	C	A	69	B	2485876
15	195/65R15	95	H	XL		FE2 evo	C	A	69	B	2485875
16	195/60R16	89	H		YES	FE2	C	A	69	B	2018457
16	195/60R16	89	H			FE2	C	A	69	B	2018457
16	195/55R16	87	H		YES	FE2 evo	D	A	69	B	2485874
16	195/55R16	91	V	XL		FE2 evo	C	A	69	B	2485908
16	195/60R16	89	H		YES	FE2 evo	C	A	69	B	2485903
16	205/55R16	91	H			FE2 evo	C	A	69	B	2485873
16	205/55R16	91	V		YES	FE2 evo	C	A	69	B	2485872
16	205/55R16	91	W			FE2 evo	C	A	69	B	2485871
16	205/55R16	94	V	XL		FE2 evo	C	A	69	B	2485870
16	205/60R16	92	H			FE2 evo	C	A	69	B	2485869
16	205/60R16	96	V	XL	YES	FE2 evo	C	A	69	B	2485888
16	215/55R16	97	W	XL		FE2 evo	C	A	69	B	2485887
16	215/60R16	99	V	XL		FE2 evo	C	A	69	B	2485886
16	215/65R16	98	H		YES	FE2 evo	C	A	69	B	2485885
16	225/55R16	99	W	XL		FE2 evo	C	A	69	B	2485884
17	205/50R17	93	W	XL	YES	FE2 evo	C	A	69	B	2485883
17	205/55R17	95	W	XL	YES	FE2 evo	C	A	69	B	2485882
17	215/50R17	95	W	XL		FE2 evo	C	A	69	B	2485881
17	215/55R17	94	W		YES	FE2 evo	C	A	69	B	2485880
17	215/60R17	96	H		YES	FE2 evo	B	A	69	B	2485879
17	215/65R17	99	V			FE2 evo	C	A	69	B	2485898
17	225/50R17	98	Y	XL	YES	FE2 evo	C	A	69	B	2485897
17	225/55R17	101	Y	XL	YES	FE2 evo	C	A	69	B	2485896
17	225/60R17	99	V			FE2 evo	C	A	69	B	2485895
17	225/65R17	102	V			FE2 evo	C	A	69	B	2485894
17	235/55R17	99	V			FE2 evo	C	A	69	B	2485893
17	235/55R17	103	Y	XL		FE2 evo	B	A	69	B	2485902




LI Load Capacity Speed Rating PR Ply rating Fuel Efficiency Wet Grip Noise Grade Noise (dB)

The all-rounder for a relaxed and enjoyable journey

Positively reviewed & trusted performance



FE2 evo Performance



FE2 evo

FE2 evo features

- Advanced tire profile** with optimal pressure distribution. Excellent mileage and even wear
- Innovative new tread compound** for extremely short braking distances – Wet label A
- Improved rolling resistance** for lower emissions and fuel savings
- 4 Wide grooves** for exceptional water drainage (3 grooves for sections <195)
- Great driving comfort and precise handling**

RIM	EU SIZE	LI	⊕	XL	EV READY	PATTERN	⊕	⊕	⊕	⊕	EPREL
17	235/65R17	108	V	XL		FE2 evo	B	A	69	B	2485892
18	215/50R18	92	W		YES	FE2 evo	D	A	69	B	2485901
18	215/55R18	99	V	XL	YES	FE2 evo	C	A	69	B	2485891
18	225/50R18	99	W	XL	YES	FE2 evo	C	A	69	B	2485890
18	225/55R18	98	V		YES	FE2 evo	C	A	69	B	2485889
18	225/55R18	102	W	XL	YES	FE2 evo	C	A	69	B	2485900
18	225/60R18	100	V		YES	FE2 evo	C	A	69	B	2485907
18	235/50R18	97	V		YES	FE2 evo	C	A	69	B	2485906
18	235/50R18	101	Y	XL	YES	FE2 evo	B	A	69	B	2485899
18	235/55R18	104	V	XL	YES	FE2 evo	B	A	69	B	2485905
18	235/60R18	107	W	XL	YES	FE2 evo	B	A	69	B	2485904




MORE INFORMATION ABOUT THE GT RADIAL TIRE? PLEASE SCAN QR-CODE



FE1 City

Urban mobility with confident handling



FE1 City

The reliable partner for the urban jungle

FEATURES & BENEFITS

- Long life**
Specially designed polymers for wear resistance
- Robustness in the city**
Flexible casing material for better shock absorption
- Start-/ stop performance**
Optimized block design for interlocked road contact

RIM	EU SIZE	LI		XL					EPREL
13	145/80R13	79	T	XL	D	B	71	B	1965963
13	155/80R13	83	T	XL	D	B	71	B	2018316
13	165/80R13	83	T		D	B	69	B	1965964
14	155/65R14	79	T	XL	C	B	68	A	2128173
14	165/65R14	83	T	XL	D	B	71	B	1965965
14	175/70R14	88	T	XL	D	B	71	B	2076453
14	185/65R14	86	H		D	B	69	B	1965966
14	185/70R14	88	H		D	B	69	B	1965967
14	195/70R14	91	H		D	B	69	B	1965968
15	155/60R15	78	T	XL	D	B	71	B	1965969
15	165/65R15	85	T	XL	D	B	71	B	1965970
15	175/55R15	81	T	XL	D	B	71	B	1965971
16	185/55R16	87	V	XL	D	B	71	B	1965961

Speed: **T-V** Inch: **13-16** Series: **55-80**



ClimateActive

Dynamic driving across changing weather conditions, all year round



ClimateActive

Constant grip and safety, no matter the season

FEATURES & BENEFITS



Comfortable, quiet journeys
The V shaped pattern with optimised pitch delivers a quite comfortable ride, that can be enjoyed all year long



Sustainable and ready for electrification with EV ready signature
New profile and pattern, with a lighter construction, generates less rolling resistance and 10 % reduced abrasion, delivering more mileage and lower consumption while keeping a low environmental footprint



Consistent performances that last many years over multiple seasons and travel journeys
Dedicated new compound delivers the necessary elasticity for winter traction and firm grip on summer roads.

Speed: T-Y

Inch: 15-22

Series: 35-70



RIM	EU SIZE	LI		XL	EV READY	3MPSF / M+S					EPREL
15	165/65R15	81	T		YES	3PMSF	D	B	69	B	2259532
15	175/55R15	77	T		YES	3PMSF	D	B	69	B	2259535
15	175/65R15	84	T		YES	3PMSF	in prep.	in prep.	in prep.	in prep.	2600599
15	185/55R15	86	H	XL	YES	3PMSF	C	B	69	B	2259536
15	185/65R15	92	V	XL	YES	3PMSF	C	B	69	B	2259521
15	195/50R15	82	H		YES	3PMSF	C	B	70	B	2259524
15	195/55R15	85	H		YES	3PMSF	C	B	70	B	2295153
15	195/60R15	88	H		YES	3PMSF	C	B	70	B	2259534
15	195/65R15	95	V	XL	YES	3PMSF	C	B	70	B	2259523
16	195/45R16	84	V	XL	YES	3PMSF	in prep.	in prep.	in prep.	in prep.	-
16	195/45R16	84	V	XL	YES	3PMSF	D	B	70	B	2590562
16	195/50R16	88	V	XL	YES	3PMSF	C	B	70	B	2590545
16	195/55R16	91	V	XL	YES	3PMSF	C	B	70	B	2259527
16	195/60R16	93	V	XL	YES	3PMSF	C	B	70	B	2352223
16	205/55R16	94	V	XL	YES	3PMSF	C	A	69	A	2076543
16	205/60R16	96	H	XL	YES	3PMSF	B	B	70	B	2259531
16	215/45R16	90	V	XL	YES	3PMSF	C	A	70	B	2590604
16	215/55R16	97	V	XL	YES	3PMSF	C	A	70	B	2590609
16	215/60R16	99	V	XL	YES	3PMSF	B	A	70	B	2590598
16	215/65R16	102	V	XL	YES	3PMSF	C	A	70	B	2259533
16	215/70R16	100	H		YES	3PMSF	in prep.	in prep.	in prep.	in prep.	-
16	215/70R16	100	H		YES	3PMSF	B	A	70	B	2259520
16	225/55R16	99	V	XL	YES	3PMSF	B	A	70	B	2590591
17	205/40R17	84	V	XL	YES	3PMSF	C	A	70	B	2259537
17	205/45R17	88	V	XL	YES	3PMSF	C	A	70	B	2295140
17	205/45R17	88	V	XL	YES	3PMSF	in prep.	in prep.	in prep.	in prep.	-
17	205/45R17	88	W	XL	YES	3PMSF	D	A	70	B	2590564
17	205/50R17	93	W	XL	YES	3PMSF	C	A	70	B	2295145
17	205/55R17	95	W	XL	YES	3PMSF	C	A	70	B	2352230
17	215/45R17	91	Y	XL	YES	3PMSF	C	A	70	B	2590579
17	215/50R17	95	W	XL	YES	3PMSF	C	A	70	B	2590552
17	215/55R17	98	W	XL	YES	3PMSF	C	A	70	B	2259519
17	215/60R17	100	V	XL	YES	3PMSF	B	A	70	B	2295147
17	215/65R17	103	V	XL	YES	3PMSF	C	A	70	B	2295143
17	225/45R17	94	Y	XL	YES	3PMSF	C	A	70	B	2259526
17	225/50R17	98	W	XL	YES	3PMSF	C	A	69	A	2076545
17	225/55R17	101	Y	XL	YES	3PMSF	in prep.	in prep.	in prep.	in prep.	-
17	225/55R17	101	Y	XL	YES	3PMSF	B	A	70	B	2352218
17	225/60R17	103	V	XL	YES	3PMSF	C	A	70	B	2352220
17	225/65R17	106	V	XL	YES	3PMSF	B	A	70	B	2259522
17	235/45R17	97	Y	XL	YES	3PMSF	C	A	70	B	2590612
17	235/55R17	103	V	XL	YES	3PMSF	C	A	70	B	2295146
17	235/55R17	103	Y	XL	YES	3PMSF	B	A	70	B	2590593
17	235/60R17	106	V	XL	YES	3PMSF	B	A	70	B	2590586
17	235/65R17	108	V	XL	YES	3PMSF	in prep.	in prep.	in prep.	in prep.	-
17	235/65R17	108	V	XL	YES	3PMSF	B	A	70	B	2295150
18	215/50R18	92	W		YES	3PMSF	C	A	70	B	2259528
18	215/55R18	99	V	XL	YES	3PMSF	C	A	70	B	2295151
18	225/40R18	92	Y	XL	YES	3PMSF	C	A	70	B	2352229
18	225/45R18	95	Y	XL	YES	3PMSF	C	A	70	B	2352227

Dynamic driving across changing weather conditions, all year round

Positively reviewed & trusted performance




ClimateActive



RIM	EU SIZE	LI	🌱	XL	EV READY	3PMSF / M+S	🔒	🌧️	🔊	🔊	EPREL
18	225/50R18	99	W	XL	YES	3PMSF	C	A	70	B	2352212
18	225/55R18	102	V	XL	YES	3PMSF	C	A	70	B	2295148
18	225/60R18	104	W	XL	YES	3PMSF	B	A	70	B	2352222
18	235/40R18	95	Y	XL	YES	3PMSF	D	A	70	B	2590567
18	235/45R18	98	Y	XL	YES	3PMSF	C	A	70	B	2352219
18	235/50R18	101	V	XL	YES	3PMSF	B	A	70	B	2295152
18	235/50R18	101	Y	XL	YES	3PMSF	B	A	70	B	2590547
18	235/55R18	104	V	XL	YES	3PMSF	B	A	70	B	2295149
18	235/60R18	107	W	XL	YES	3PMSF	B	A	70	B	2295141
18	245/40R18	97	Y	XL	YES	3PMSF	C	A	70	B	2590599
18	245/45R18	100	Y	XL	YES	3PMSF	B	A	70	B	2295142
18	255/55R18	109	V	XL	YES	3PMSF	B	A	73	B	2590580
18	255/60R18	112	V	XL	YES	3PMSF	B	A	73	B	2590597
19	205/55R19	97	H	XL	YES	3PMSF	C	A	70	B	2590566
19	215/50R19	93	H		YES	3PMSF	C	A	70	B	2352216
19	225/40R19	93	Y	XL	YES	3PMSF	C	A	70	B	2590619
19	225/45R19	96	W	XL	YES	3PMSF	B	A	70	B	2352213
19	225/50R19	100	V	XL	YES	3PMSF	B	A	70	B	2352234
19	225/55R19	103	W	XL	YES	3PMSF	C	A	70	B	2352232
19	235/35R19	91	Y	XL	YES	3PMSF	C	A	70	B	2352233
19	235/40R19	96	Y	XL	YES	3PMSF	C	A	70	B	2394551
19	235/45R19	99	W	XL	YES	3PMSF	C	A	70	B	2352221
19	235/50R19	103	W	XL	YES	3PMSF	C	A	70	B	2259525
19	235/55R19	105	W	XL	YES	3PMSF	B	A	70	B	2352225
19	245/40R19	98	Y	XL	YES	3PMSF	C	A	70	B	2259530
19	245/45R19	102	W	XL	YES	3PMSF	C	A	70	B	2352228
19	255/35R19	96	Y	XL	YES	3PMSF	C	A	73	B	2590620
19	255/40R19	100	Y	XL	YES	3PMSF	B	A	73	B	2590583
19	255/45R19	104	Y	XL	YES	3PMSF	B	A	73	B	2295154
19	255/50R19	107	W	XL	YES	3PMSF	B	A	73	B	2295155
19	255/55R19	111	W	XL	YES	3PMSF	B	A	73	B	2590569
19	265/50R19	110	W	XL	YES	3PMSF	B	A	73	B	2590555
20	195/55R20	95	H	XL	YES	3PMSF	C	B	70	B	2590606
20	215/45R20	95	T	XL	YES	3PMSF	C	A	70	B	2590606
20	235/45R20	100	V	XL	YES	3PMSF	B	A	70	B	2352226
20	235/50R20	104	H	XL	YES	3PMSF	B	A	70	B	2352231
20	235/50R20	104	W	XL	YES	3PMSF	B	A	70	B	2590600
20	245/45R20	103	W	XL	YES	3PMSF	C	A	70	B	2295144
20	255/40R20	101	Y	XL	YES	3PMSF	B	A	73	B	2352214
20	255/45R20	105	W	XL	YES	3PMSF	B	A	73	B	2352217
20	255/50R20	109	Y	XL	YES	3PMSF	B	A	73	B	2590568
20	255/55R20	110	Y	XL	YES	3PMSF	B	A	73	B	2590551
20	265/45R20	108	Y	XL	YES	3PMSF	B	A	73	B	2590577
20	275/45R20	110	Y	XL	YES	3PMSF	in prep.	in prep.	in prep.	in prep.	-
20	275/45R20	110	Y	XL	YES	3PMSF	B	A	73	B	2352215
21	275/45R21	110	Y	XL	YES	3PMSF	B	A	73	B	2590571
22	275/40R22	107	Y	XL	YES	3PMSF	B	A	73	B	2259529
22	285/40R22	110	Y	XL	YES	3PMSF	B	A	72	A	2259538

4Seasons

For different weather conditions all year round



4Seasons

Balanced performance

FEATURES & BENEFITS

- Safety in changing weather conditions**
 Special designed compound which retains the grip characteristics across wide range of temperatures
- Reliable performance in winter conditions**
 Multiple deep sipes ensures firm acceleration and reduced breaking distance
- High mileage**
 All season compound technology

RIM	EU SIZE	LI		XL	3PMSF / M+S					EPREL
14	155/65R14	75	T		3PMSF	D	B	71	B	2018467
14	165/65R14	79	T		3PMSF	D	B	71	B	2018468
14	165/70R14	85	H	XL	3PMSF	D	B	71	B	1966330
14	175/65R14	86	T	XL	3PMSF	C	B	71	B	1966313
14	185/60R14	82	H		3PMSF	C	B	71	B	1966314
14	185/65R14	86	T		3PMSF	C	B	71	B	1966315
15	185/60R15	88	H	XL	3PMSF	C	B	71	B	1966317

Speed: **T-H** Inch: **14-15** Series: **60-70**



MAXMILER Pro2

Performance you can count on.
Efficiency you can measure.



MAXMILER Pro2

Taking the legendary MAXMILER signature into the world of electrification and transport efficiency

FEATURES & BENEFITS



Delivers the expected endurance and resistance required in heavy duty transport operations

Reinforced design for heavy load operations
Additional side impact protection against lateral shocks



Ideal for commercial and light duty operations

Optimised pattern for low noise levels and high levels of comfort
New compound that combines grip on wet and dry roads, with consistent high mileage



Fine-tuned for electric and combustion-engine vans.

RR improved by 15%
EV ready badge

Speed: R-H

Inch: 15-17

Series: 55-80



RIM	EU SIZE	LI	Speed Rating	PR	EV READY	Fuel Efficiency	Wet Grip	Noise Grade	Noise (dB)	EPREL
15	195/70R15C	104/102	T	8PR		C	B	70	B	2529248
15	195R15C	106/104	S	8PR		C	B	70	B	2529230
15	205/70R15C	106/104	S	8PR		C	B	70	B	2529247
15	215/65R15C	104/102	T	6PR		C	A	70	B	2529246
15	215/70R15C	109/107	S	8PR		C	B	70	B	2529245
15	225/70R15C	112/110	S	8PR		C	B	70	B	2529244
16	185/75R16C	104/102	T	8PR		B	B	69	A	2529243
16	195/60R16C	99/97	H	6PR	YES	C	B	70	B	2529242
16	195/65R16C	104/102(100)	R(T)	8PR	YES	B	B	70	B	2529241
16	195/75R16C	110/108	T	10PR	YES	C	B	70	B	2529240
16	205/65R16C	107/105	T	8PR	YES	B	B	70	B	2529239
16	205/75R16C	113/111	R	10PR	YES	C	B	70	B	2529238
16	215/60R16C	103/101	T	6PR	YES	C	A	70	B	2529237
16	215/65R16C	109/107	T	8PR	YES	B	A	70	B	2529236
16	215/70R16C	108/106	T	6PR	YES	C	B	70	B	2529231
16	215/75R16C	116/114	R	10PR	YES	C	A	70	B	2529250
16	225/65R16C	112/110	T	8PR	YES	C	B	70	B	2529235
16	225/75R16C	121/120	R	10PR	YES	C	B	70	B	2529234
16	235/65R16C	121/119	R	10PR	YES	C	B	70	B	2529249
17	205/70R17C	115/113	R	10PR	YES	C	B	70	B	2529229
17	215/60R17C	109/107(104)	T(H)	8PR	YES	B	A	70	B	2529233
17	225/55R17C	109/107(104)	T(H)	8PR	YES	B	A	70	B	2529232

MAXMILER Pro

The ideal tire for your commercial operations



MAXMILER Pro

The reliable high-mileage partner

FEATURES & BENEFITS

- High Mileage**
Optimized tread profile and stress resistant compound
- Tailormade for heavy duty operations**
Reinforced sidewall construction for severe service conditions
- Economic efficiency**
Durable compounds ensures longer tire operations

RIM	EU SIZE	LI		PR					EPREL
12	145R12C	86/84	N	8PR	C	B	71	B	2174211
12	155R12C	88/86	R	8PR	C	B	71	B	2076444
13	165R13C	94/92	R	8PR	D	B	71	B	1965931
13	175R13C	97/95	R	8PR	C	B	71	B	1965932
14	175/65R14C	90/88	T	6PR	C	B	71	B	2076445
14	185R14C	102/100	R	8PR	C	B	71	B	1966130
14	195R14C	106/104	R	8PR	C	B	71	B	1966124
14	205R14C	109/107	P	8PR	D	B	71	B	2076467
15	195/70R15C	104/102	R	8PR	C	B	71	B	2076454
15	205/70R15C	106/104	R	8PR	D	B	71	B	2076456
15	215/65R15C	104/102	T	6PR	C	B	71	B	2076463
15	215/70R15C	109/107	S	8PR	C	B	71	B	1966127
15	225/70R15C	112/110	R	8PR	C	B	71	B	2076460
16	185/75R16C	104/102	T	8PR	C	B	71	B	2076464
16	195/60R16C	99/97	H	6PR	C	B	71	B	2076465
16	195/65R16C	104/102	T	8PR	D	B	71	B	2076466
16	195/75R16C	107/105	R	8PR	C	B	70	B	1966123
16	205/65R16C	107/105	T	8PR	C	B	70	B	2076455
16	205/75R16C	113/111	R	10PR	C	B	70	B	1966125
16	215/60R16C	103/101	H	6PR	C	B	70	B	1966126
16	215/65R16C	109/107	T	8PR	C	B	70	B	2076457
16	215/70R16C	108/106	T	6PR	C	B	70	B	2076458
16	215/75R16C	116/114	R	10PR	C	B	70	B	2076459
16	225/65R16C	112/110	T	8PR	C	B	70	B	1966128
16	225/75R16C	121/120	R	10PR	C	B	70	B	2076539
16	235/65R16C	121/119	R	10PR	C	B	70	B	1966129
17	215/60R17C	109/107	T	8PR	B	A	70	B	2076461
17	235/60R17C	117/115	R	10PR	B	A	70	B	2076462


Speed: **N-H** Inch: **12-17** Series: **60-80**



LI Load Capacity Speed Rating PR Ply rating Fuel Efficiency Wet Grip Noise Grade Noise (dB)

MAXMILER AllSeason2

Blending unique driving pleasure with steady safety, 365 days a year



MAXMILER AllSeason2

High mileage throughout the year

FEATURES & BENEFITS



High mileage
Wide tread design



Suitable for all-season usage
Winter certification (3PMSF) and excellent wet label



High durability
Robust tread block design and sidewall protection system

RIM	EU SIZE	LI	SR	PR	EV READY	3PMSF / M+S	Fuel Efficiency	Wet Grip	Noise Grade	Noise (dB)	EPREL
15	195/70R15C	104/102	T	8PR	YES	3PMSF	D	A	71	B	2076475
15	215/65R15C	104/102	T	6PR	YES	3PMSF	D	A	71	B	2076476
15	215/70R15C	109/107	S	8PR	YES	3PMSF	C	A	71	B	1966146
15	225/70R15C	112/110	S	8PR	YES	3PMSF	C	A	71	B	2076477
16	195/65R16C	104/102(100)	R(T)	8PR	YES	3PMSF	D	A	71	B	2076478
16	195/75R16C	110/108	R	10PR	YES	3PMSF	D	A	71	B	2076479
16	205/65R16C	107/105	T	8PR	YES	3PMSF	D	A	71	B	1966147
16	205/75R16C	113/111	R	10PR	YES	3PMSF	D	A	71	B	2076480
16	215/60R16C	103/101	T	6PR	YES	3PMSF	D	A	71	B	2076481
16	215/65R16C	109/107	T	8PR	YES	3PMSF	C	A	71	B	1966148
16	215/75R16C	116/114	R	10PR	YES	3PMSF	D	A	71	B	1966149
16	225/65R16C	112/110	R	8PR	YES	3PMSF	C	A	71	B	1966150
16	225/75R16C	121/120	R	10PR	YES	3PMSF	D	A	71	B	1966151
16	235/65R16C	121/119	R	10PR	YES	3PMSF	D	A	71	B	1949554
17	215/60R17C	109/107(104)	T(H)	8PR	YES	3PMSF	C	A	71	B	2076482
17	225/55R17C	109/107(104)	T(H)	8PR	YES	3PMSF	C	A	71	B	2076483

Speed: R-T

Inch: 15-17

Series: 55-75



Pattern Overview

■ Summer ■ Allseason ▽ LTR

RIM	EU SIZE	Touring Active	SportActive 2 EV	SportActive 2 evo	SportActive 2	SportActive RFT	FE2 evo	FE2	FE1 City	Climate Active	4Seasons	MAXMILER Pro2	MAXMILER Pro	MAXMILER AllSeason2
22	275/40R22				107Y					107Y				
	285/40R22									110Y				
21	235/45R21	101V												
	255/40R21	102Y												
	255/45R21	106W												
	265/40R21	105Y												
	265/45R21	108W												
	275/45R21				110Y					110Y				
	295/35R21				107Y									
20	195/55R20									95H				
	215/45R20		95V							95T				
	235/45R20	100V			100V					100V				
	235/50R20		104H							104H				
	235/55R20	102W								104W				
	245/35R20			95Y										
	245/40R20				99Y	99Y								
	245/45R20									103W				
	245/50R20	102V			103Y									
	255/35R20			97Y										
	255/40R20				101Y					101Y				
	255/45R20		105H			101W								
	255/50R20			105W						105W				
	255/55R20	110Y			109Y					109Y				
	265/45R20				104Y					110Y				
	275/30R20				97Y									
	275/35R20					102Y								
275/40R20					106W									
275/45R20				110Y					110Y					
275/50R20	113W													
315/35R20					110W									
19	205/55R19									97H				
	215/50R19		93T							93H				
	225/35R19			88Y										
	225/40R19			93Y						93Y				
	225/45R19			96Y						96W				

RIM	EU SIZE	Touring Active	SportActive 2 EV	SportActive 2 evo	SportActive 2	SportActive RFT	FE2 evo	FE2	FE1 City	Climate Active	4Seasons	MAXMILER Pro2	MAXMILER Pro	MAXMILER AllSeason2
19	225/50R19									100V				
	225/55R19	103V								103W				
	235/35R19			91Y						91Y				
	235/40R19			96Y						96Y				
	235/45R19						95V				99W			
	235/50R19					99Y								
						103V								
	235/55R19		105V								103W			
							101V							
	245/35R19			105W						105W				
	245/40R19			98Y						98Y				
	245/45R19						98Y				98Y			
											102W			
	255/35R19				96Y					96Y				
	255/40R19				100Y					100Y				
	255/45R19			104Y						104Y				
255/50R19		107T								107W				
						107W								
255/55R19					107Y					111W				
						111Y								
265/50R19									110W					
275/30R19				96Y										
275/35R19					96Y									
275/40R19				100Y										
				105Y										
18	215/50R18						92W			92W				
	215/55R18						99V			99V				
	225/40R18			92Y			92W			92Y				
							95W							
	225/45R18			95Y						95Y				
	225/50R18						95W				99W			
										98V				
225/55R18									102V					
225/60R18						102W								
						100V								

Pattern Overview

■ Summer ■ Allseason ▽ LTR

RIM	EU SIZE	Touring Active	SportActive 2 EV	SportActive 2 evo	SportActive 2	SportActive RFT	FE2 evo	FE2	FE1 City	Climate Active	4Seasons	MAXMILER Pro2	MAXMILER Pro	MAXMILER AllSeason2		
18	225/60R18									104W						
	235/40R18			95Y						95Y						
	235/45R18		98Y		98Y					98Y						
	235/50R18						97V				101V					
								101Y			101Y					
	235/55R18						104V			104V						
	235/60R18						107W			107W						
	245/35R18				92Y											
	245/40R18					97W										
	245/45R18			100Y		100Y				100Y						
	245/50R18	100Y				100W										
	255/35R18				94Y											
	255/40R18					95W										
	255/45R18				103W											
	255/55R18					109W					109V					
					109Y											
	255/60R18				112V					112V						
	265/35R18				97Y											
275/40R18				103Y		99Y										
17	205/40R17				84W					84V						
	205/45R17					88W				88V						
					88Y						88W					
	205/50R17						93W			93W						
	205/55R17						95W			95W						
	205/70R17C											115/113R				
	215/40R17				87W											
	215/45R17				91Y					91Y						
	215/50R17						95W			95W						
	215/55R17						94W				98W					
								96H								
	215/60R17									100V						
215/60R17C												109/107T				
215/65R17							99V					109/107(104)T(H)		109/107(104)T(H)		
										103V						

RIM	EU SIZE	Touring Active	SportActive 2 EV	SportActive 2 evo	SportActive 2	SportActive RFT	FE2 evo	FE2	FE1 City	Climate Active	4Seasons	MAXMILER Pro2	MAXMILER Pro	MAXMILER AllSeason2	
17	225/45R17			94Y		91W				94Y					
	225/50R17					98W				98W					
	225/55R17					97W	98Y			101Y					
								101Y			101Y				
	225/55R17C											109/107(104)T(H)		109/107(104)T(H)	
	225/60R17						99V			103V					
	225/65R17						102V				106V				
						97Y					97Y				
	235/55R17						99V				103V				
							103Y				103Y				
	235/60R17									106V					
	235/60R17C												117/115R		
	235/65R17							108V			108V				
	245/45R17					99W									
16	185/55R16								87V				104/102T	104/102T	
	185/75R16C														
	195/45R16				84V				84V						
	195/50R16								88V						
	195/55R16						87H			91V					
							91V			89H					
	195/60R16									93V					
	195/60R16C											99/97H	99/97H		
	195/65R16C												104/102T		
	195/75R16C												104/102(100)R(T)		104/102(100)R(T)
														107/105R	
	205/45R16					87W							110/108T		
205/55R16							91H								
							91V								
							91W								
							94V			94V					
205/60R16							92H								
										96H					
							96V								
205/65R16C												107/105T	107/105T	107/105T	
205/75R16C												113/111R	113/111R	113/111R	

Pattern Overview

■ Summer ■ Allseason ▽ LTR

RIM	EU SIZE	Touring Active	SportActive 2 EV	SportActive 2 evo	SportActive 2	SportActive RFT	FE2 evo	FE2	FE1 City	Climate Active	4Seasons	MAXMILER Pro2	MAXMILER Pro	MAXMILER AllSeason2		
16	215/45R16				90V					90V						
	215/55R16						97W			97V						
	215/60R16						99V			99V						
	215/60R16C											103/101T		103/101T		
	215/65R16						98H						103/101H			
	215/65R16C									102V						
	215/70R16									100H						
	215/70R16C												109/107T	109/107T	109/107T	
	215/75R16C												108/106T	108/106T		
	225/55R16										99V			116/114R	116/114R	116/114R
	225/65R16C						99W									112/110R
	225/75R16C												112/110T	112/110T		
	235/65R16C												121/120R	121/120R	121/120R	
	15	155/60R15								78T						
165/65R15										81T						
175/55R15									85T							
175/65R15									81T							
185/55R15										84T						
185/60R15										86H						
185/65R15											88H					
							88T									
							88H									
							92T									
											92V					
195/50R15											82H					
195/55R15											85H					
195/60R15											88H					
195/65R15							91H									
							91V									
							95H									
											95V					
195/70R15C													104/102R			
												104/102T		104/102T		
195R15C												106/104S				
205/70R15C													106/104R			
												106/104S				
215/65R15C												104/102T	104/102T	104/102T		

RIM	EU SIZE	Touring Active	SportActive 2 EV	SportActive 2 evo	SportActive 2	SportActive RFT	FE2 evo	FE2	FE1 City	Climate Active	4Seasons	MAXMILER Pro2	MAXMILER Pro	MAXMILER AllSeason2		
15	215/70R15C												109/107S	109/107S	109/107S	
	225/70R15C													112/110R		
14	155/65R14													75T		
	165/65R14													79T		
	165/70R14													83T		
	175/65R14													85H		
	175/65R14C													86T		
	175/70R14														90/88T	
	185/60R14														82H	
	185/65R14														86T	
	185/70R14														86H	
	185R14C														88H	
	195/70R14														91H	
	195R14C															106/104R
205R14C															109/107P	
13	145/80R13															
	155/80R13														79T	
	165/80R13														83T	
	165R13C														83T	
12	145R13C															94/92R
	175R13C															97/95R
	145R12C															86/84N
155R12C																88/86R

MORE INFO ON CURRENT PRODUCT RANGE ON OUR WEBSITE



www.gtradiol.eu

Product guide Summer 2026

PASSENGER CAR, SUV
AND LIGHT TRUCK

www.gtradial.eu



GTR_1126_002_EU

Giti Tire Deutschland GmbH
Hollerithallee 18a
30419 Hannover
Telefon: +49 (0) 511-5153 56-0
Fax: +49 (0) 511-5153 56-10
E-Mail: info@eu.giti.com

DISCLAIMER

The information contained in this catalogue is for general information purposes only. Every effort has been made to ensure the product information provided is accurate and up to date at time of printing. We reserve the right to change ranges, descriptions, modify, or substitute products without notice. Giti cannot be held liable for any loss or damage including without limitation, indirect or consequential loss or damage, or any loss or damage whatsoever arising from loss of data or profits arising out of, or in connection with, the use of this catalogue.